

PB59280



Library
of the
University of Toronto

Digitized by the Internet Archive in 2017 with funding from University of Toronto



/ THE ANIMAL KINGDOM ARRANGED ACCORDING TO ITS ORCANIZATION Houndation for the MATURAL HISTORY OF AMIMALS, Introduction to comparative : halomy BARON Treat Offices of the Legion of Honour Coun. " of Mate. S. Hember of the Mage! Connel of Public Instruction, One of the Forty of the Trench Academy, Serpetual Secretary to the Seadomy of Triences. Hember of the Acade, ries's Royal Societies of Lendon, Berlin Setersburgh, Stockholm, Turin, Odinburgh, Openhagen, Gettingen, Bu varia, Medena the Netherlands & Colentia, Softhe Tinnean Lociety of Lenden de de WYTH FIGURES DESIGNED AFTER MATURE: Ornstacca, Arachnides & Insecta. Il Wolveille, Checolier of the Legion of Hancur, Homber of the Institute Theyal Nondomy of Sciences & of the greater portion of other learned Societies in Entrope, Smeried &c. Translated from the latest french Odition ADDITIONAL YOTES, . Mustrated by nearly 800 Coloured . Plates. THE FOUR YOURNES. VOL.TY, INSECTA-ZOOPITYTES LONDON 6. Honderson 2. Old Ruiley Ludgate Hill. 1837.



TABLE OF CONTENTS TO PLATES.

VOLUME IV.

INSECTA-ZOOPHYTES.

INSECTA.

Plate 1. Fig. 1.—Intestinal canal of Aphrophora spumaria, Suckow. A.—Œsophagus. D.—Crop. D, D.—Divisions of the ventriculus. E.—Ilium. H.—Colon. K, K.—Biliary vessels.

Fig. 2.—Intestinal canal of the maggot of Musca Carnaria, Suckow, marked the same as above. N, N, are the salivary vessels with

their simple outlets, O.

Fig. 3.—a. A portion of the biliary vessels much magnified.

Fig. 3.—Intestinal canal of the perfect fly marked as before.

Fig. 4.—Intestine of the caterpillar of Gastropacha Pini, Suckow, marked similarly. F, is the clavate gut. O, O, are the spinning vessels.

Fig. 5.—Intestinal canal of Pontia Brassicæ, Herold. C.—The sucking stomach. G.—The cœcum, &c. marked as before.

Fig. 6.—Proventiculus of the DYTISCUS MARGINALIS.

Plate 2. Fig. 1 .- Intestinal canal of the larva of CALOSOMA SYCOPHANTA, marked as before. H .- The internal longitudinally folded colon

to which the last segment of the larva is still attached. Fig. 2.—Intestinal canal of the perfect beetle, Suckow. D.—Ventricu-

lus. D* .- A portion covered with glands. Fig. 3.—Intestinal canal of the larva of DYTISCUS MARGINALIS, marked the

Fig. 4.—Intestinal canal of the perfect beetle, similarly marked.

Plate 3. Fig. 1.—Single salivary vessel of NEPIS CINEREA, Ramd. a.—Duct. b. -Glands. c.-Glandular vessel.

Fig. 2.—Second salivary vessel of NEPA CINEREA, Ramd. a, b.—Double duct of the auxiliary gland. d .- Auxiliary gland. e, e .- Chief

Fig. 3.—Salivary vessel of Blaps, Leon, Duf.

Fig. 4.—Auxiliary gland of TABANUS, Ramd. b.—Duct.

Fig. 5.—Auxiliary gland of Cicada, Leon, Duf. a, a, a, a.—Glandular bags. b, b.—Ducts. c, c.—Glandular vessels.

Fig. 6.—Ventral salivary glands of Leptis, Ramd. a, a.—The two

glandular bags. b .- Œsophagus. c .- Outlet of the sucking stomach. d.—Commencement of the Ventriculus.

Fig. 7 .- Ventral salivary glands of Bombylius, marked the same.

Fig. 8.—Ventral salivary glands of Chrysotoxum, Ramd., the same. Fig. 8*.—Lateral view of the heart of Melolontha Vulgaris. α, α.— Orifices of the heart, 1-9.-Ventriculi. B .- End of the heart. C .- Aorta.

Fig. 9.—Commencement of the heart, with the muscular wings of Melolontha vulgaris. a, a.—Muscular wings. b, b.— Orifices in them, in front of each aperture of the heart.

Fig. 10.—Spiracle of the abdomen of Dytiscus MARGINALIS.

Fig. 11.—Portion of a trachea. a, a.—External tunic. b, b.—Spiral filament which forms the second tunic. c, c.-Third, or mucous tunic.

Fig. 12.-A portion of the tunic of the air-bag of Musca vomitoria, magnified.

Ъ

Plate 4. Fig. 1.—Spiracle of ORYCTES NASICORNIS, seen from the front. a, a.— The projecting margin. b, b.-Horny plates, which form its lips.

Fig. 2.—The same, seen from the side. a.—Projecting margin. b, b.— The separated integument in the vicinity of the spiracle. c, c. -Posterior projecting margin of the spiracle. d, d.-The two horny triangles, which lie on one side of the main stem of the trachea, which join at *, and are moved by the broad muscle,

e. f, f, f.—Branches of the tracheæ.

Fig. 3.—The same, from beneath. a, a.—External projecting margin. b, b.—Separated integument. c.—Spot where the apex of the lower triangle articulates with the margin of the spiracle that projects inwardly. d.—The lower horny triangle. f, f, f.—Stems of the tracheæ.

Fig. 4.—Spiracle of the larva of CETONIA AURATA. a, a.—The external darkly-coloured margin, which is decorated with paler elliptical spots. b, b .- The central paler horny plate. c.- Margin of

the true aperture. d, d.—Branches of trachex.

Fig. 5 .- Last abdominal segment, with the ovipositor A, of SIREX JUVENcus. B, B .- Lateral margins of the last largest segment.

Fig. 6.—Apex of the abdomen, from the side. The ovipositor, b, projects

from the two valves, a.

Fig. 7.—Apex of the ovipositor, seen from above. c.—The divided dentate apex of the sheath. d, d.-The two dentate setæ within the sheath.

Fig. 8.—The ovipositor, from the side. c.—The upper channel. d.—The single lower seta.

Fig. 9.—From beneath. c, c.—Sheath. d, d.—Setæ.

Fig. 10.—One seta, to exhibit the shape of the teeth upon it.

Fig. 11.—Transverse section of the ovipositor. a, a.—The external valves. c.—The sheath. d, d.—The setæ. e.—Central free channel.

Fig. 12.—Apex of the ovipositor. a.—The upper channel. b.—The fine seta.

Fig. 13.—Section of the mere ovipositor. a.—Channel. b.—Seta. c. ---Canal.

Fig. 14.—Section of the ovipositor, with the valves. a.—Channel. b.— Seta. c, c.-Valves. e.-Canal.

Fig. 15.-Last bent segment of an ovipositor of CYNIPS QUERCIFOLIA, with the two hairy processes originating from the internal surface.

Fig. 16.—The ovipositor. a, a.—Valves. b, b.—External channel of the setæ. c.-Central finer seta.

Fig. 17.—The external. b, b, and the central seta. c, alone.

Fig. 18.—Section. a, a.—Valves. b, b.—External setæ. c.—Central one.

Plate 5. Fig. 1.—United testes of Pontia Brassicæ. Fig. 2.—Testes of Libellula, Suckow.

Fig. 3.—Testes of APHROPHORA SPUMARAI.

Fig. 4.—Testes of TRIPULA CROCATA, Suckow.

Fig. 5.—Testes of RANATRA LINEARIS. Fig. 6 .- Half of the poison vessel of APIS MELLIFICA.

Fig. 7.—Testes of Dytiscus Marginalis. a.—Large knob. b.—Small knob of the dnct.

Fig. 7. b.—Testes of SILPHA OBSCURA, L. Duf.

Fig. 8.—Testes of Hydrophilus Piceus, Suckow.

Fig. 9.—Testes of Ticrhodes, Suckow.

Fig. 10.—Testes of Locusta VIRIDISSIMA.

Fig. 11.—Testes of STAPHYLINUS, L. Duf.

INSECTA.
Plate 5. Fig. 12.—Testes and duct of Musca Deviens, Suckow.
Fig. 13.—Testes and duct of SEMBLIS BICAUDATA, Suckow.
Fig. 14.—Testes and duct of APATE, L. Duf.
Fig. 15.—Testes and duct of EDEMERA, L. Duf.
Fig. 16.—Testes and duct of Preserve I Duf.
Fig. 17 Testes and duct of Y wmm. Duct.
Fig. 16.—Testes and duct of PIMELIA, L. Duf. Fig. 17.—Testes and duct of Lytha, V. Scand ditta a.—Testes.
o.—First guin-vessel, o, o.—Second ditto. a. —Day-snaped
distension at the connecting point of the duct.
Fig. 18.—Testes of Lamia Edilis.
Fig. 19.—Testes of PRIONUS, L. Duf.
Fig. 20.—Testes of CICADA, L. Duf.
Vol. III. Page
Plate 6. Fig. 1.—THERATES BASILIS, D'Urv
Fig. 2.—Anatomical details of MEGACEPHALA CAROLINA, Latr 368
Fig. 3.—Trycondyla aptera, Latr
Fig. 4.—Ctenostoma ichneumoneum, Dej
Fig. 5.—Colliuris modesta, Dej
Fig. 6.—Manticora maxillosa, Latr
Fig. 7.—CICINDELA TENUIPES, Guer
Fig. 8.—Head of Oxychella Tristis, Dej
Plate 7. Fig. 1.—Mouth of Anthia Decas-Guttata, Latr
Fig. 2.—Graphipterus multi-guttatus, Latr 370
Fig. 3.—Casnonia senegalensis, St. Farq. and Serv. 373
Fig. 4.—Brachinus Jurinei, Dej
Fig. 5.—Trichognathus marginatus, Latr
771 0 74 1 140 0 0
TI' H TT 1 10 1 107
TI' O TT
Fig. 8.—HELLUO COSTATUS, Latr
Fig. 9.—Dripta ruficollis, Dej
Fig. 10.—AGRA SPLENDIDA, Latr
Fig. 11.—Lebia flavomaculata, Guer 377
District C. Etc. 1. D. Communication of the Communi
Plate 8. Fig. 1.—Panagæus Quadrimaculatus, Cuv
Fig. 2.—Pamborus alternans, Latr
Fig. 3.—ELATER BICRUCIATUS, Cuv. 428
Fig. 4.—Onitis subflavus, Peron and Les. (male) Vol. IV. 8
Fig. 5.—Cetonia bicornis, female
Fig. 6.—Helluo costatus, Bonn Vol. III. 374
Fig. 7.—Lamia venosa, M. Cattoire . Vol. IV. 115
Plate 9. Fig. 1.—Goliath Barbicornis, MacLeay. male (The Horned Goliath) 31
Fig. 2.—Buprestis scutellatus (The Armed Buprestis) Vol. III 422
Fig. 3.—Lucanus serricornis (The Serrated Lucanus) Vol. IV. 35
Fig. 4.—CETONIA BICORNIS, Peron and Les. male (The Two-horned
Cetonia)
Fig. 5.—HISPA MARGINATA* (The Marginated Chesnut-Fly) . 128
Fig. 6.—HELEUS PERFORATA, Peron and Les. (The Perforated Heleus
of New Holland)
Fig. 7.—Brentus appendiculatus, M. Cattoire 84
. 03
late 10. Fig. 1.—Testes of NEPA CINEREA, Swamm.
Fig. 2.—Testes of Melolontha vulgaris, Suckow.
Fig. 3.—Auxiliary testes of Hydroph Piceus, Suckow.
Fig. 4.—Auxiliary testes of Locusta viridissima. a.—Superior fasci-
culus of vessels. b.—Retainer, clothed on the surface with
amall processes into which the dust a opens of a
small processes, into which the duct, c, opens. d.—Sperm
bladder.

^{*} This species is a Fabrician Alurnus.

P

Plate 10. Fig. 5.—Ducts of the genitalia of Donacia aquatica, Suckow, without appendages.

Fig. 6.—Ducts of the genitalia of PARYGANEA OLERACEA. a.—Vasa deferentia. b.—Vesica seminalis.

Fig. 7.—Ducts of the genitalia of DYTICUS MARGINALIS, marked the same.

Fig. 8.—Ducts of the genitalia of Apis Mell., Brandt. a, c.—Vesica seminalis. b, b.—Clavate gum-vessels.

Fig. 9.—Ducts of the genitalia of Melolontha vulgaris, Suckow. a, a.
—Ducts of the vesica seminalis. b, b.—Gum-vessels, with their distension.

Fig. 10.—Ducts of the genitalia of Hydrophilus ficeus, Suckow. a, a.—Vasa deferentia. a^* , a^* .—Vesica seminalis. a, a.—Ends of the auxiliary testes. b^* , b^* .—The first furcate gun-vessel. b, b.—The second simple ones.

Fig. 11.—Ducts of the genitalia of Lamia Edilis, Fab. a, a.—Vesica seminalis. b—Furcate gum-vessel, with unequal branches.

Fig. 12.—Organs of Vanessa Urtice, Swamm., male. a.—United testes. a*, a*.—Vasa deferentia, into which the gumvessels, b, b, open.

Fig. 13.—Gum-vessel of Calosoma sycophanta, Suckow. a.—Vasa deferentia of one side, which opens into the gum-vessel b, b, of the side; that of the other side and the ductus ejaculatorious is cut off.

Fig. 14.—Ducts of the genitalia of Tipula crocata, Suckow. a, a.—Vasa deferentia. b.—Gum-vessels.

Plate 11. Fig. 1.—Apex of the abdomen of a CICADA. A.—Last dorsal segment.

B.—Basal joint of the sheath of the ovipositor. C.—Terminal joint. D.—Last ventral segment.

Fig. 2.—Ovipositor with the valves from beneath. B, B.—Basal joints of the valves. C, C.—Terminal joints. D.—The ovipositor.

Figs. 3, 4, 7, 8.—Male organs of a CARABUS.

Fig. 3.—Prepuce from beneath. a, a.—The horny ridges of the prepuce. b.—The horny plate which lies in the lower portion of the prepuce. c.—Process in which the penis lies. d.—Last dorsal segment.

Fig. 4.—Prepuce from above, as taken from the ventral cavity.

horny ridges which distend the bag of the prepuce.

process of the prepuce, in which the penis lies. c.—Apex of this process, into which the vasa deferentia extends.

d.—Last dorsal segment.

Fig. 5.—Apex of the sheath of the ovipositor of a Cicada from above, toothed on the margin, furrowed in the centre, emarginate at the apex to receive the points of the setæ, which form the true apex of the ovipositor.

Fig. 5. a.—Section. a, a.—The valves. b, b.—The sheath. c.—The setw.

Fig. 6.—Section of the mere ovipositor. a, a.—The sheath. b.—The setm.

Fig. 7.—The penis of a CARABUS from beneath. a.—Aperture of the penis, whence the sperm flows.

Fig. 8.—Penis from above, with a, lateral moveable process, b, in which the muscles are inserted.

Figs. 9, 10.—Ovipositor of CIMBEX VARIABILIS.

Fig. 9.—The valves opened from beneath. A, A.—The last dorsal segment. a, a.—External valves. b, b.—Internal valves, or saws. c—Central short process.

Fig. 10.—An internal valve. b.—Furrow. α.—Lower surface of the valve. b.—Superior surface.

Plate 11. Figs. 11, 12, 13, 15, 17, 18.—Ovipositor of Locusta.

Fig. 11.—Apex of the abdomen of Locusta viribissima. A.—Last dorsal segment. B.—Last ventral segment. C.—Ovipositor.

Fig. 12.—One half of the sheath seen from the exterior of LOCUSTA

EPHIPPIGER.

Fig. 13.—The same from the inner surface. a.—Superior half of the valve. c .- Lower half. b .- Central smaller, inner valve of the same side.

Fig. 14.—Setæ of the ovipositor of a Cicada from the inner side to show

the central channel.

Fig. 15.—External view of the ovipositor of a Locusta. a.—Upper half.

c .- Lower half.

Fig. 16.—Apex of the ovipositor of a CICADA from beneath. a, a .-Superior distended sheath, with teeth on the margin b, b. -The lower setæ pushed upwards, so that they project beyond the apex of the sheath.

Fig. 17.-The ovipositor of a Locusta from within. a .- Upper half. c .- Lower half. b .- Internal valve, indicated here only as

a projecting ridge.

Fig. 18.—The jointed ovipositor of Chaysis, Kirby and Spence.

Plate 12. Figs. 1-6 .- Male organs of Dyticus MARGINALIS.

Fig. 1 .- View of them beneath, with the last divided ventral plate. A, A .- The two halves of the ventral plate. B, B .- Muscles that affixed them to the preceding one. C, C.—Horny ridges, which partly serve these for insertion. D, D.—Muscles which unite the transverse ridge with the ventral plates. a .- A horny ring lying beneath in the prepuce. g, g.-Muscles that move the penis. f.—Vasa deferentia.

Fig. 2.—Penis and prepuce separated from the last ventral plate, seen

from beneath. a.—A horny ring that distends the prepuce. b .- Horny plate which lies in it. i .- Membranous portion of the prepuce. d.—Sheath of the penis. e.—Penis. g, g.—

Muscles which move the penis. f.—Vasa deferentia.

Fig. 3.—The same from above. a, a.—Horny ring of the prepuce, running at the margin, and connected with the penis by muscles, h, h. i.—Membranous portion of the prepuce. k.— Horny plate lying in the upper part of the prepuce. I .- Horny scale to which the ends of the horny arch of the prepuce are attached. e.—Penis. g, g.—Muscles which move the penis. f .- Vasa deferentia.

Fig. 4.—The same seen from the left side. a.—Horny ring of the preduce. b.—Horny scale lying in the lower portion. The

rest as in the preceding.

Fig. 5.—The penis, after the removal of the prepuce. a, a.—Membranous portion of the prepuce, which is drawn back by horny ridges, b, which are connected with the horny ring of the prepuce c, c, by means of muscles, at its upper margin. d, d. -Valves of the penis. e.-Penis.

Fig. 6.—Penis, quite free. a.—Ridge which lies in the penis, and closes its aperture. b.—Lower channel, in which the ridge or bone

lies.

Figs. 7-10.—Male organs of Hydrophilus piceus.

Fig. 7.—Prepuce from above. M.—The removed colon. d, d.—Last dorsal segment, with three fenestrations. b, b.—Horny ring which distends the prepuce. E, E .- Sheaths of the penis.

INSECTA.	
Plate 12. Fig. 8.—The same, from beneath. a.—Horny plates, which lie lower portion of the prepuce, whence the ridges proceed affix themselves to the apex of the last ventral plat c, c.—Other horny ridges. b, b.—As fig. 7. d, d.—Le	which e, e, e.
sal segment. E.—Sheath of the penis.	
Fig. 9.—The free penis, from above, more magnified than fig. 8.	
—Reflexed margins of the horny plate. A.—As in B.—Membranous portion of the penis. E, E.—Sheath	
penis, consisting of horn.	01 1110
Fig. 10.—Free penis, from beneath. A.—A cordiform horny p	late, to
which the sheaths are attached. E, E.—The sheath	of the
penis. F.—Penis.	
Figs. 11, 12.—Sexual organs of Callichroma moschatum. Fig. 11.—A.—Prepuce, supported by a horny ridge, C, which d	istends
into a horny plate, B, upon the upper surface of the p	
D.—Penis. E.—Vasa deferentia. F.—Ridge, by	
of which the penis is pushed forwards.	oftha
Fig. 12.—Free penis, seen from the left side. a.—Lower horny tip penis. b.—Upper ditto. c.—Vasa deferentia.	or the
Figs. 13-16.—Male organs of BLATTA ORIENTALIS.	
Fig. 13.—View from above. b.—Left horny plate covering them Penis.	. d.—
Fig. 14.—The same from beneath. c.—Right horny plate. b.	—Left.
a.—Upper. d.—Penis. Fig. 15.—The superior covering plate, consisting of several horny	niegov
and provided with a hooked process.	preces,
Fig. 16.—The right covering plate, composed of two pieces. a	.—The
principal plate.	
Vol. II	. Page
Plate 13. Fig. 1.—SIAGONA EUROPÆA, Dej.	. 379
Fig. 2.—Oxystomus Sancti-Hilarii, Latr.	. 382
Fig. 3.—Scapterus Guerini, Dej.	, 380
Fig. 4.—Enceladus gigas, Bon. Fig. 5.—Apotomus rufus, Latr.	. 378
Fig. 6.—Hinder foot of Dischirius Thoracius, Latr.	. 382
Fig. 7 Morio simplex, Dej	. 383
Fig. 8.—Acanthocelis ruficornis, Latr.; Scarites ruficornis, Fa	b. 380
Fig. 9.—Antennæ of Ozæna Rogerii, Dej.	. 383
Fig. 10.—Ditomus violaceus, Latr.	. 383
Fig. 11.—Head of Ditomus calydonius, Latr. Fig. 12.—Cyclosemus flexuosus, Latr	. 384
5	
Plate 14. Fig. 1.—HARPALUS TRICOLOR, Guer	. 384
Fig. 2.—Trigonotoma viridicollis, Dej.	. 386
Fig. 3.—Elytra of FERONIA NAVARICA, Latr	. 386
Fig. 4.—Elvtra and Tarsus of Feronia Melanaria, Latr.	. 388
Fig. 5.—Cephalotes rufipes, Latr.	. 391
Fig. 6.—Hinder Tarsus of Patrobus rufipes, male Fig. 7.—Mormolyge physiopes Hag	. 398 . 392
Fig. 7.—MORMOLYCE PHYLLODES, Hag. Fig. 8.—Hinder Foot and Jaw of Zabrus gibbus, Latr.	. 392
Fig. 9.—Antennæ of Sphodrus Terricola, Latr	. 393
Fig. 10.—Hinder Foot of FERONIA HOTTENTOTA, Latr	. 390
Fig. 11.—Hinder Tarsus and Foot of Licinus Agricola, male	. 396
Fig. 12.—Head of Loricera filicornis, Latr. Fig. 13.—Cynthia abaxoides, Latr.	. 398 . 397
Fig. 14.—Panagæus fulgipennis, Latr.	397
Fig. 15.—Omophron saturalis, Guer	. 403

INSECTA.		1	Jol. I	I. Page
Plate 15. Fig. 1.—SPHÆRODERUS NITIDICOLLIS, Chev.				. 399
Fig. 2.—CALOSOMA RUFIPENNE, Dej.				. 402
Fig. 3.—Cychrus Italicus, Bon				. 399
Fig. 4.—Pamborus alternans, Latr.				. 399
Fig. 5.—Head of Pogonophorus				. 403
Fig. 6.—Hinder Tarsus of PELOPHILA				. 404
Fig. 7.—Canabus Ratilans, Latr.				. 401
Fig. 8.—Pelecium cyanipes, Kirby .				. 397
Fig. 9.—Masorœus Luxatus, Dej.				. 406
Fig. 10.—Palpi of the principal Bembidion	•		•	. 405
Plate 16. Fig. 1.—Dytiscus Lherminieri, Chev.				. 409
Fig. 2.—Dytiscus serricornis, Payk.				409
Fig. 3.—Hinder Foot of COLYMBETES				. 410
Fig. 4.—Hinder Foot of Hydroporus Planus	, Latr			. 410
Fig. 5.—Hygrobia Hermanni, Latr.				. 410
Fig. 6.—Noterus crassicornis, Clairy.				. 411
Fig. 7.—HALIPLUS ELEVATUS .				. 411
Fig. 8.—Gyrinus sulcatus, Dej.	•		•	. 413

Plate 17. Fig. 1.— The left covering horny plate, with the penis of Callichroma Moschatum. b—The upwards bent penis, furnished at the end with a hook.

Figs. 2-4.—Male organs of CIMBEX VARIABILIS.

Fig. 2.—From below. a, a, a, a, --The external sheaths, each consisting of a lower horny and a superior membranous portion. b, b.

—The penis, likewise consisting of two halves.

Fig. 3.—The left half of the sexual apparatus, seen from without. a.—

Horny basal portion of the sheath. b.—Membranous appendage. c, c.—Halves of the valvular penis.

Fig. 4.—The same from within, marked similarly. d.—Outlet of the vasa deferentia.

Figs. 5-7 .- Male organs of VESPA GERMANICA seen from beneath.

Fig. 6.—Penis, from the side, distended like a spoon anteriorly, c, with

a barb, α, by which it hangs attached during copula.

Fig. 7.—The same, from above, marked similarly. b.—Internal passage of the penis.

Figs. 8, 9, 10 .- Male organs of DEILEPHILA GALII.

Fig. 8.—Lateral view of the whole apex of the abdomen. a, a.—Horny ring to which the external sheath is affixed. b.—External sheath of the left side. c.—Penis. e.—Anus.

Fig. 9 -Sheath of the right side seen from within.

Fig. 10.—Free penis, a, with the aperture c, and the muscles b, which attaches it.

Figs. 11, 12.—Male organs of CERCOPIS VULNERATA.

Fig. 11.—The sexual apparatus, enclosed in valves, seen from the left side.

Fig. 12.—The opened sexual apparatus, seen from above. The external valves are removed. a, a.—The internal valves. b, b.—

The horny penis, consisting of two parts, bent outwards.

Fig. 13.—Ovaria of EPHEMERA MARGINATA. Fig. 14.—Ovaria of PHASMA GIGAS, Müll. Fig. 15.—Ovaria of GRYLLUS MIGRATORIUS.

Fig. 16.—Ovaria of Meloe proscarabeus.

Fig. 17.—Anterior aperture of the penis of Dellephila Galti, seen from above.

Plate 18. Fig. 1.—Ovaria of GRYLLOTALPA VULGARIS, Müll.

Fig. 2.—Ovaria of LEPISMA, Trev.

Fig. 3.—Internal sexual organs of Hippobosca, L. Duf. a, a.—Ovaries.
b.—Uterus. c,—Conducting vessels.

		INSECTA.			
Plate 1	8. Fig.	4.—Ovary of Anthidium, Suckow.			
		5.—Ovary of Tinea Evonymella, Suckow	7.		
		6.—Ovary of Musca Carnaria, Suckow.			
		7.—Ovary of Aphrophora spumaria, Suc			
		8.—Ovary of Lucanus parallelopipedus,			
		9.—Uterus without appendage of TIPULA C			
	Fig.	10.—Uterus with an appendage of ANTHID	IUM MAN	icatum, Su	ckow.
	****	a.—The spermatheca.		~	
	Fig.	11.—Uterus with an appendage of Hype			
		a.—The spermatheca, into which	the serpe	entine gum-	-vessel
	17.	evacuates.		- 0	1
	Fig.	12.—Uterus with an appendage of MELOLO	ONTHA VI	JLGARIS, SI	ickow.
		a.—Spermatheca. b.—Gum-vesse			
		end of the sheath, into which the	KHOD OI	the penis	inserts
	TP:	itself.	1.00001	Sualtam	_
	rıg.	13.—Uterus with an appendage of X1	LOCOPA,	Suckow.	a.—
	171 m	Spermatheca. b.—Gum-vessel.	v Gualca		anna a
	rig.	14.—Uterus with an appendage of Sines theca, with the two ears. b.—Gur			ierma-
	Eig	15.—Uterus with an appendage of HAR			a
	r ig.				a.—
	Fig	Sack-shaped distended sheath. b. 16.—Uterus of Lucanus, Suckow. a			d
	rig.	Double gum-vessel.	-pherma	uneca.	,
	Fig	17.—Uterus of GRYLLOTALPA VULGARIS, St	nekow	a -Snerms	theca
	1.8.	b, b.—Gum-vessels.	uckow.	u. Dpcrme	· · · · · · · · · · · · · · · · · · ·
	Fig	18.—Uterus of LEPISAMA, Trev. b, b—C	Jum.hag	ı.	
		19.—Poison-vessels of Apis Mellifila, S			creting
	8.	vessels. b.—Poison-bladder.	7 11 (41411111)	u, u. De	
		vocation of a cross cracked in			_
		* .		Vol. III.	
Plate !		1.—Oxyporus rufus, Lin.		•	. 414
		2.—Head of Astrapœus ulmineus, Oliv.			. 414
		3.—STAPHYLINUS TATARICUS, Fisc.	•	•	. 415
		4.—LATHROBIUM ELONGATUM, Lin.		•	. 416
		5.—PAEDERUS RUFICOLLIS, Fab.	•	•	. 416
		6.—PROCIRRUS LEFEBURI, Latr.	•	•	. 416
		7.—Head of an EVAESTHETUS .	•	•	. 417
		8.—STENUS BIGUTTATUS, Lin.	•	•	. 417
	Fig.	9.—Anterior Tarsus of a Stillicus .	•	•	. 416
	Fig.	10.—OXYTELUS TRICORNIS, Fab.	•	•	. 417
		11.—Osorius Brasiliensis, Guer.	•	•	. 417
	rıg.	12.—Zyrophorus striatus, Leach	•	•	. 418
Plate !	20. Fig.	1.—Head of Prognatha Rufipenne, Latr.		•	. 418
	Fig.	2.—Coprophilus Rugosus, Grav.	•	•	. 418
		3.—Lesteva dichroa, Latr.	•	•	. 418
		4.—Micropeplus maillei, Dej.	•	•	. 418
	Fig.	5.—Aleochara canaliculata, Fab.	•	•	. 419
	Fig.	6.—Lomechusa paradoxa, Grav.	•	•	. 419
		7.—OMALIUM BLATTOIDES, Grav.	•	•	. 418
		8.—TACHINUS ATRICAPILLUS, Fab.	•	•	. 419
	Fig.	9.—Tachiporus marginatus, Grav.	•	•	. 420
Plate !	21. Fig.	1.—Buprestris bicolor, Latr.		•	. 422
	Fig.	2.—Anatomy of Buprestris gigas, Fab.			. 422
	Fig.	3.—Buprestris rubripennis, Guer.	•		. 422
		4.—Buprestris Lalandii, Guer.	•		. 423
	Fig.	5.—APHANISTICUS EMARGINATUS, Latr.	•	•	. 423
	Fig.	6.—Trachys cruentata, Fab.	•		. 423
	Fig.	7.—MELASIS BUPRESTOIDE, Qliv.	•		. 424

	INSECTA.	Vol. III.	Page
Plate 22	. Fig. 1.—EUCNEMIS CAPUCINUS, Man		. 425
	Fig. 2.—Pterotarsus histrio, Latr		. 425
	Fig. 3.—Anatomical details of GALBA MARMORATA, Guer.		. 425
	Fig. 4.—Adelocera Chabannii, Guer		. 425
	Fig. 5.—PACHYDERES RUFICOLLIS, Guer.		. 426
	Fig. 6.—CEROPHYTUM ELATEROIDES, Latr		. 427
	Fig. 7.—Throscus dermestoides, Latr.; Elater dermest	oides	.426
	Fig. 8.—Chelonarium undatum, Latr	Diacs	. 426
	Fig. 9.—Cryptostoma denticornis, Fab.; Elater denticornis	ornic	. 427
			. 427
	Fig. 10.—Head and Corslet of Lob Ederus Monilicornis,		427
	Fig. 11.—Nematodes filum, Latr.; Eunemis filum		
	Fig. 12.—Head of HEMIRHIPUS FLABELLICORNIS, Latr	.; Elate	r 497
	flabellicornis		. 427
	Fig. 13.—Antennæ of CTENICERA HÆMATODES, Latr.	•	. 427
	Fig. 14.—ELATER PLAGIATUS, Germ.		. 428
	Fig. 15.—CAMPYLUS DENTICOLLIS, Fisc.		. 429
	Fig. 16.—Antennæ of Phyllocerus flavipennis, Dej.		. 429
Plate 23.	Fig. 1.—Physodactylus Henningii, Fisc.	•	. 430
	Fig. 2.—Cebrio fuscus, Gory		. 430
	Fig. 3.—Antennæ of CEBRIO GIGAS, (female)		. 430
	Fig. 4.—Antennæ of Anelastes Drurii, Kirby .		. 431
	Fig. 5.—Callirhipis Goryi, Guer		. 431
	Fig. 6.—Anatomical details of Callirhipis Dejeanii, Lati	r	431
	Fig. 7.—RHIPICERA CYANEA, Guer		431
	Fig. 8.—Antennæ of Rhipicera, (female)		431
	Fig. 9.—Ptilodactyla elaterina, Illig.		432
	Fig. 10.—ELODES PALLIDUS, Latr		432
	Fig. 11.—Hinder foot of a SCYRTES		432
	Fig. 12.—EUBRIA PALUSTRIS, Germ		433
	2.6. 22. 22001111 1120011110, 00011110		100
Plate 24.	Fig. 1.—Lycus latissimus, Fab		434
1 1010 21.	Fig. 2.—Head of DICTYOPTERA SANGUINEA, Latr.; Lam	nvris san.	. TOT
	guinea, Lin		434
	Fig. 3.—Antennæ of Omalisus saturalis, Geoff.		434
	Fig. 4. Down of a special (famala)		437
	Fig. 4.—Drilus flavescens, (female)		
	Fig. 5.—Drilus flavescens, (male)		437
	Fig. 6.—Drilus auficollis, Dej		438
	Fig. 7.—LAMPYRIS SAVIGNYI, Kirby		436
	Fig. 8.—Antennæ of Amydetes, Hoff.	•	436
	Fig. 9.—Anatomical details of CLADOPHERUS RUFICOLLIS,	Guer	439
	Fig. 10.—SILUS TRICOLOR, Guer.		439
	Fig. 11.—MALTHINUS BIGUTTATUS, Oliv.		439
	Fig. 12.—Anatomical details of Cordylocera antennata	Guer	440
Plate 25.	Fig. 1.—MALACHIUS RUFICOLLIS, Fab.		439
	Fig. 2.—Dasytes trifasciatus, Guer		440
	Fig. 3.—Zygia oblonga, Fab		440
	Fig. 4.—MELYRIS VIRIDIS		440
	Fig. 5.—MELYRIS ABDOMINALIS, Fab.		440
	Fig. 6.—Pelecophora nigrolinata, Guer		441
	Fig. 7.—Cylidrus Bugueth, Guer.		441
	Fig. 8.—Tillus Rubricollis, Guer		442
	Fig. 9.—TILLUS UNIFASCIATUS, Fab.		442
	Fig. 10.—PRIOCERA VARIEGATA, Kirby .		412
	Fig 11 -AYIANA ANALIS Kirby		442
	Fig. 11.—Axiana analis, Kirby Fig. 12.—Eurypus rubens, Kirby		412
	Fig. 13.—THANASIMUS BOMBYCINUS, Chev.		442
	-8. to. Inamasines bombientos, ouev.		1.19

INSECTA.		Vol.	III. Page
Plate 25. Fig. 14.—THANASIMUS FORMICARIUS, Fab.			. 443
Fig. 15.—Opilo mollis, Latr.	i		. 443
Fig. 16.—CLERUS OLIVIERII, Chev.			. 443
Fig. 17.—Clerus Alvearius, Fab.			. 443
Fig. 18.—Necrobia violacea, Lin.			. 444
Fig. 19.—Necrobia Ruficollis, Fab.			. 444
Fig. 20.—Enoplium viridipenne, Kirby			. 444
Plate. 26. Fig. 1.—PTINUS ITALICUS, Chev.			. 415
Fig. 2.—Pitilinus serraticornis, Oliv.			. 446
Fig. 3.—XYLETINUS PALLENS, Stev.			. 446
Fig. 3, a, b, c.—Anatomical details of XYLET	INUS PI	CTINA	ATUS,
Fab.		•	. 446
Fig. 4.—Ochina sanguinicollis, Ziegl.			. 446
Fig. 5.—Dorcatoma rubens, Chev.			. 446
Fig. 6.—Gibbium scotias, Oliv.; Ptinus scotia	s, Fab.		. 445
Fig. 7.—Anatomical details of Anobium Perti	NAX, Lin		. 446
Fig. 8.—Atractocerus molorchoides, Guer.			. 447
Fig. 9.—Hylecætus Javanus, Chev.			. 448
Fig. 10.—LYMEXYLON NAVALE, Oliv			. 448
Fig. 11.—CUPES CAPITATA, Fab			. 448
Fig. 12.—RHYSODES COSTATUS, Chev.			. 448
0	·	•	. 110
Plate 27. Fig. 1.—Mastigus fuscus, Klug.			. 450
Fig. 2.—Scymœnus Helwegii, Latr.			. 450
Fig. 3.—Anatomical details of SCYDMENUS HIE	RTICOLLI	s. Gvl	450
Fig. 4.—HOLOLOPTA QUATUOR-DENTATA, Fab.		~, ~ J 1	. 451
Fig. 5.—HISTER MANDIBULARIS, Chev.		•	. 452
Fig. 6.—Anatomical details of HISTER QUADRI	-MACIII	TITE	
Fig. 7.—SPHÆRITES GLABRATUS; Hister glabra	tue Fah	1103,	. 453
Fig. 8.—Necrophorus maritimus, Esch.	iue, rao.		. 455
Fig. 9.—Necrophorus germanicus, Lin.	•	•	
	•	•	. 455
Fig. 10.—Silpha granigera, Chev. Fig. 11.—Necrodes littoralis, Lin.; Silpha l	: + + 1:-	772- L	. 455
	-		. 453
Fig. 12.—Necrophilus hydrophiloides, Esch	1.	•	. 457
Fig. 13.—AGYRTES CASTANEUS, Fab.	•	•	. 457
Fig. 14.—Scaphidium nigripes, Chev.	011	•	. 457
Fig. 15.—Scaphidium quatuor-maculatum,	Oliv.	•	. 457
Distance I Commence I and I am			450
Plate 28. Fig. 1.—Colobicus Marginatus, Latr.		•	. 459
Fig. 2.—THYMALUS MARGINICOLLIS, Chev.		•	. 459
Fig. 3.—Anatomical details of THIMALUS LIMBA	TUS, Fat	•	. 459
Fig. 4.—IPS FASCIATA, Oliv.	٠.,		. 459
Fig. 5.—Anatomical details of IPS QUATUOR-PUN	NCTATA, 1	lerbst.	
Fig. 6.—NITIDULA PERUVIANA, Guer.	_	:	. 460
Fig. 7.—Anatomical details of NITIDULA IMPERI	ialis, Fa	b.	. 460
Fig. 8.—Cercus pulicarius, Latr.		•	. 460
Fig. 9.—Byturus tomentosus, Fab.			. 460
Fig. 10.—Dacne femoralis, Chev.			. 460
Fig. 11.—CRYPTOPHAGUS NIGRIPENNIS, Payk.			. 461
Fig. 12.—Anatomical details of CRYPTOPHAGUS	POPULI,	Payk.	. 461
Plate 29. Fig. 1.—Aspidiphorus orbiculatus, Gyl.			. 461
Fig. 2.—Dermestes carnivorus, Fab.			. 462
Fig. 3.—Megatoma undata. Latr			. 462
Fig. 4.—Anatomical details of MEGATOMA TRIF	ASCIATA,	Fab.	. 462
Fig. 5.—ATTAGENUS SERRA, Fab.			463

	INSECTA.	Vol.	III.	Page
Plate 29	. Fig. 6.—Anthrenus capensis, Fab			. 463
	Fig. 7.—Anatomical details of Nosodendron Fascicul.	ARE.	Oliv	464
	Fig. 8.—Byrrhus alpinus, Gory	,		464
	Fig. 9.—Anatomical details of BYRRHUS DENNII, Kirby			464
	Fig. 10.—TRINODES HIRTUS, Fab.; Anthrenus hirtus	•		464
	Fig. 11.—HETEROCERUS MARGINATUS, Fab.		•	466
	Fig. 12.—Foot of Byrrhus concolor, Sturm.	٠	•	464
	rig. 12. 1000 of Distances Controller, Staring	1		. 404
Plate 30	. Fig. 1.—Potamophilus orientalis, Gory			466
	Fig. 2.—Dryops prolifericornis, Fab.			467
	Fig. 3.—Anatomical details of ELMIS VOLCKMARI, Panz.			467
	Fig. 4.—Macronychus Quadri-tuberculatus, Mül.	•		467
	Fig. 5.—Georissus Pygmæus, Gyl		•	467
	Fig. 6.—Elophorus nubilus, Fab.	•		468
		7.1-	•	468
	Fig. 7.—Anatomical details of Elophorus Fennicus, Pa		1	
	Fig. 8.—Antennæ of Hydrochus Elongatus, Fab.; Elop	norus		
	gatus		•	469
	Fig. 9.—Palpi of Ochthebius Hybernicus, Curt.	. •	•	469
	Fig. 10.—Anatomical details of HYDRÆNA TESTACEA, Cu	irt.	•	469
	Fig. 11.—Spercheus sulcatus, Gory	_	. •	469
	Fig. 12.—Anatomical details of Spercheus emargination	JS, F	ab	469
	Fig. 13.—GLOBARIA NITIDA, Guer. A new species			470
	Fig. 14.—HYDROPHILUS SPINIPENNIS, Gory			471
	Fig. 15.—Sphæridium dimidiatum, Gory .			472
		Vol.	IV.	Page
Plate 31	Fig. 1.—Ateuchus Ægyptiorum, Latr.			. 5
	Fig. 2.—Anatomical details of ATEUCHUS SACER, Latr			5
	Fig. 3.—CIRCELLIUM HEMISPHERICUM, Latr			6
	Fig. 4.—Coprobius viridis, Latr			6
	Fig. 5.—EURYSTERNUS FŒDUS, Guer.			6
	Fig. 6.—Ontophagus rarus, Guer.			7
	Fig. 7 Anatomical details of ONTOPHAGUS VACCA, Latr			7
	Fig. 8.—PHANEUS IMPERATOR, Chev			8
	Fig. 9.—Oniticellus formosus, Chev.			7
	Fig. 10.—Copris bellator, Chev		Ĭ	8
	Fig. 11.—Aphodius ripunctatus, Fab.			9
			·	
Plate 32.	No. 1 Exhibits parts of the thorax of CARABUS GLABRA	rus.		
	Fig. 1.—Prothorax from above.			
	Fig. 2.—Prothorax from beneath.			
	Fig. 3.—Prosternum from the inner surface.			
	Fig. 4.—The omium. b.—The external surface. b^* . The	refle	xed 1	nar-
	gin which is attached to the inner surface of the	pron	otum	
	Fig. 5.—Lateral view of the prosternum. c, c.—Its two	nterr	al s	cale-
	shaped processes.			
	Fig. 6.—Meso and Metathorax seen from above. R, R.—Th	e rud	imen	tary
	wings. b.—The same from beneath. S, S.—T	he fi	rst al	bdo.
	minal segment. S*, S*.—The second ditto.			
	of the posterior legs. T, T Trochanters.			
	Fig. 7.—Anterior view of the mesosternum. f.—Two process	es wh	ich f	orm
	the fork, and between which the nervous cord lie	s.		
	Fig. 8.—Anterior wings of the scapula seen from the surfa		b.—	The
	reflexed margin which lies against the posterior			
	Fig. 9.—Posterior wings of the scapula seen from the surface			The
	reflexed margin which lies against the margin of			
	wing, and forms the suture in which both meet to			
	mb, and respective details in miner of the meet to	D		

Plate 32. No. 2 .- Parts of the skeleton of DYTISCUS.

Fig. 1.—Internal portion of the head. a, a.—The two ridges which proceed from the throat and enclose the cerebellum. c.—The tentorium. d.—A band, consisting of two halves, upon which the anterior portion of the cerebellum rests. e, e.—Two hooked processes, which encompass the ωsophagus in front of the cerebrum. f, f.—A horny ridge to which the labrum is attached. g.—The tongue. h.—A horny semicircular bone, to which the tongue is attached. b, b.—The orbits.

Fig. 2.—The prothorax seen from beneath. b, b.—The omia.

- Fig. 3.—The prosternum from behind. a, a.—The jugularia. b, b.—Internal processes of the prosternum.
- Fig. 4.—The omium seen from the surface. b.—The external surface.

 b*.—The reflexed margin which lies against the surface of the pronotum.

Fig. 5.—Prosternum from the side. b.—The internal processes.

Fig. 6.—Coxæ, trochanters and femur of the intermediate leg. a.—Audouin's trochantinus.

Fig. 7.-Meso and metathorax from above.

Fig. 8 .- The same from beneath

Fig. 9.—Mesosternum exposed, so as to show its internal processes. E.—

The body of the vertebra whence the arches proceed which encompass the nervous cord. b, b, are the transverse processes. a.—The processus spinosus, consisting of two halves.

Fig. 10. - Anterior wing of the scapula (D).

- Fig. 11.—I osterior wing of the scapula (D*). b.—The reflexed margin which forms the suture with that of the anterior wing.
- Fig. 12.—The connate coxæ seen from the front to exhibit the process springing from them. b, b—The anterior processes. a, a, —The posterior, with their furcate branches**.

Plate 32. No. 3. - Portions of the skeleton of Buprestis Mariana.

Fig. 1.— Prothorax from beneath. A, A.—Reflexed margin of the pronotum. B.—Prosternum. b, b.—The small round plates which correspond to the anterior wings of the scapulæ in Carabus and Dytiscus.

Fig. 2.—The same from the front. a, a.—The jugularia.

Fig. 3.—Prosternum from the side.

Fig. 4.—Upper view of the meso and metathorax.

Fig. 5 .- The same from beneath.

Fig. 6-8.—Mesosternum and scapulæ in their natural situation. b.—

Mesosternum (E, E).

Figs. 7, 8.—Anterior wings of the scapulæ (D, D).

Fig. 9.—Prosternum from within. a, a.—Internal processes.

Fig. 10.—Metathorax from within. b, b.—The anterior teeth. a, a.—
The posterior.

Fig. 11.—The same from the side.

Fig. 12.—Meso and metathorax of HISTER CADAVERINUS seen from beneath. S.—First abdominal segment.

Fig. 13.—The same from above.

Plate 33. Fig. 1.—ORYCTES CHEVROLATII, Guer.				15
Fig. 2.—AGACEPHALA FURCATA, Guer.				15
Fig. 3.—SCARABÆUS MENTOR, Guer.				16
Fig. 4.—Anatomical details of SCARABÆUS	GEDEON	Fab.		16

Fig. 10.—MACRONOTA ÆGREGIA, G. & P.

dricus

Fig. 2.—ÆSALUS SCARABŒIDES, Fab.

Plate 37. Fig. 1.—Sinodendron Cylindricum, Lin. Fab.; Scarabœus cylin-

Fig. 3.—Lucanus cinnomomeus, Guer.
Fig. 4.—Ptatycerus auriculatus. Gory

Fig. 5.—LAMPRIMA ÆNEA, Latr.; Lethrus æneus, Fab.

32

34

34

34 36

34

INSECTA. Vol. IV.	Page
Plate 37. Fig. 6.—Pholidotus Humboldii, Sch.; Lamprina Humboldii	. 3
Fig. 7.—Passalus pentaphyllus, Palis-Bauv.	. 37
Fig. 8.—Anatomical details of Passalus interruptus, Fab.	. 37
	,
Plate 38. Fig. 1.—PIMELIA VESTITA, Gory	. 40
Fig. 2.—Anatomical details of PIMELIA SERICEA	. 40
Fig. 3:—Erodius gibbus, Fab.	. 41
Fig. 4.—Zophosis testudinarius, Oliv.	4
Fig. 5.—NYCTELIA LUCZOTII, Chev	. 41
Fig. 5, c, d.—Anatomical details of Nyctelia Brunnipes, Latr.	. 42
Fig. 6.—Hegeter tagenioides, Gory	. 42
Fig. 7.—Tentyria punctipennis, Lefebyre	. 42
Fig. 8.—Akis Goryi, Guer.	. 48
Fig. 9.—Elenophorus Americanus, Lacord.	. 48
Fig. 10.—Eurychora rugosula, Guer.	43
	. 43
Fig. 12.—Anatomical details of EURYCHORA CILIATA	
Fig. 12.—Adelostoma rugosa, Gory	. 43
Dista 90 his Fire 1 Transport on the Court	4.1
Plate 38. bis. Fig. 1.—TAGENIA ORIENTALIS, GOTY	. 44
Fig. 2.—Psammeticus costatus, Guer.	. 41
Fig. 3.—Scaurus rugosus, Latr.	. 45
Fig. 4.—Scotobius Granosus, Lacord.	. 45
Fig. 5.—Sepidium vestitum, Gory	. 45
Fig. 6.—Trachynorus vittatus, Latr.	. 45
Fig. 7.—Moluris luteipes, Guer.	. 45
Dist. 20 Ein 1 On E. 1	4.0
Plate 39. Fig. 1.—Oxura setosa, Kirby	. 46
Fig. 2.—ACANTHOMERA GRATILLA, Guer. Herbst.	. 46
Fig. 3.—Misolampus Hoffmansegii, Guer.	. 47
Fig. 4.—Blaps mortisaga, Fab.	. 47
Fig. 5.—Mouth and Antennæ of BLAPS SULCATA, Fab.	. 47
Fig. 6.—Gonopus tibialis, Latr.	. 48
Fig. 7.—Anomalipes dentipes, Latr. Fab.	. 48
Fig. 8.—Corslet of Machla Villosa, Herbst.	. 48
Fig. 9.—Scotinus Brasiliensis, Gory	. 48
Fig. 10.—Mouth and Antennæ of Asyda Lævigara, Fab.	. 49
Fig. 11.—Tarsus and Antennæ of OPATRINUS CHLATRATUS, Dej.	. 49
Fig. 12.—Tarsus of Heliophilus Hispanicus, Dej.	. 49
Fig. 13.—Pedinus Gibbosus, Gory	. 49
Fig. 14.—Anatomical details of BLAPSTINUS PUNCTATUS, Sch.	. 50
Fig. 15.—Platyscelis gages, Fisc.	. 50
TV - 40 TV 1 0	~ ~
Plate 40. Fig. 1.—CRYPTICUS GIBBULUS, Sch	. 51
Fig. 2.—Opatrum elongatum, Guer.	. 51
Fig. 3.—Corticus celtis, Germ.	. 52
Fig. 4.—Anatomical details of ORTHOCERUS MUTICUS, Latr.; Hispa	
mutica	. 52
Fig. 5.—Chiroscelis bifenestrata, Lam.	. 52
Fig. 6.—Toxicum curvicorne, Chev.	. 52
Fig. 7.—Boros thoracicus, Gyl.	52
Fig. 8.—Calcar elongatus, Herbst.	. 53
Fig. 9.—Upis ceramboides, Fab.	. 53
Fig. 10.—Anatomical details of TENEBRIO MOLITOR, Lin.	. 53
Fig. 11.—HETEROTARSUS TENEBRIOIDES, Guer	. 53
Fig. 12.—Tenebrio obscurus, Fab.	. 53
Plate 41 Pin I De anno De Pont I am	P P
Plate 41. Fig. 1.—DIAPERIS BIPUSTULATA, Brul. Lap.	. 55

	INSECTA.	Vol. I	V. Page
Plate 41.	Fig. 3.—Trachyscelis aphodioides, Latr. ".		. 56
	Fig. 4.—Leiodes Cinnamomea, Panz.		. 56
	Fig. 5.—Tetratoma gungorum, Fab		. 56
	Fig. 6.—ELEDONA CORNUTA, Fab.		. 57
	Fig. 7.—Cossyphus moniliferus, Chev		. 57
	Fig. 8.—NILIO LANATUS, Germ.		. 58
	Fig. 9.—EPITRAGUS LINEATUS, Chev		. 59
	Fig. 10.—CNODALON ATRUM, Chev.		. 60
	Fig. 11.—Spheniscus pictus, Chev		. 60
	116. 11. Similarity of the control o	•	. 00
Plate 42.	Fig. 1.—AMARYGMUS CUPRINUS, Esch		. 60
1 1000 101	Fig. 2.—SPHÆROTUS CURVIPES, Kirby		. 61
	Fig. 3.—Helops saturalis, Germ.		. 61
	Fig. 4.—Anatomical details of HELOPS LANIPES, Fab.		. 61
	Fig. 5.—Lena Pimelia, Fab.	•	. 61
	Fig. 6.—Stenotrachelus Æneus, Latr.; Dryops æneu	e Povk	
	Fig. 7.—STRONGYLIUM SERRATICORNE, Chev.	is, Layk.	. 62
		•	. 62
	Fig. 8.—Pitho depressus, Fab.	•	
	Fig. 9.—Castela serrata, Chev.	•	. 63
	Fig. 10. —HALLOINENUS HUMERALIS, Latr.	•	. 64
	Fig. 11.—Anatomical details of Orchesia Micans, Latr	•	. 64
Diata 49	Ein I Danner and Rob		05
riate 45.	Fig. 1.—DIRCEA DISCOLOR, Fab.	•	. 65
	Fig. 2.—MELANDRYA RUFIPES, Chev.	•	. 65
	Fig. 3.—Serropalpus striatus, Latr.	•	. 65
	Fig. 4.—Conopalpus flavicolle, Gyt.		. 65
	Fig. 5.—CALOPUS SERRATICORNIS, Fab.	•	. 67
	Fig. 6.—Dytilus Lævis, Fisch.	•	. 67
	Fig. 7.—ÆDEMERA PODAGRARIÆ, Fab.		. 67
	Fig. 8.—Stenostoma Rostratum, Char.		. 67
	Fig. 9.—Mycterus pulverulentus, Chev		. 68
	Fig. 10.—Head of RHINOMACER ATTELABOIDES, Fab.		. 68
	Fig. 11.—RHINOSIMUS RUFICOLLIS, Fab.		. 68
Plate 44.	Fig. 1.—LAGRIA GIGAS, Guer.		. 70
	Fig. 2.—Statira caraboides, Guer		. 70
	Fig. 3.—Pyrochroa coccinea, Fab		. 71
	Fig. 4.—RIPIPHORUS RUFIPENNIS, Chev		. 71
	Fig. 5.—Myodites Americanus, Guer.		. 72
	Fig. 6.—PELBCOTOMA FRIVALDISKII, Sturm.		. 72
	Fig. 7.—Mordella Picta, Chev.		. 72
	Fig. 8.—SCRAPTIA DUBIA, Oliv		. 73
	Fig. 9.—Notoxus fasciatus, Chev		. 78
	Fig. 10.—Cissites testaceus, Latr.		. 74
	15. 10. 01301120 120110200, 22011		. /3
Plate 45.	Fig. 1.—Antennæ of CEROCOMA SCHÆFFERI, Lin.		. 75
	Fig. 2.—HYCLŒUS DECIM-GUTTATUS, Chev		. 76
	Fig. 3.—Antennæ of ARITNŒMA DUODECIM-PUNCTATA,	Chov	. 76
	Fig. 4.—MYLABRIS MYOPS, Chev	Onev.	
	Fig. 5.—Antennæ of ŒNAS AFFER, Fab.	•	. 76
		•	. 76
	Fig. 6.—MELOE CORDILLIERÆ, Chev	•	. 77
	Fig. 7.—Anatomical details of Meloe Brevicollis, Par	4.	. 77
	Fig. 8.—TETRAONYX VENTRALIS, Chev.	•	. 77
	Fig. 9.—Cantharis sulcifrons, Chev.	•	. 77
	Fig. 10.—Anatomical details of CANTHARIS VESSICATOR	HA .	. 79
	Fig. 11.—ZONITIS PUNCTICOLLIS, Chev.	•	. 79
	Fig. 12.—Anatomical details of NEMOGNATHA CHI	RYSOMEL	INA,
	Fab.; Zonitis chrysomelina		. 79
1	Fig. 13.—Leptopalpus Chevrolatii, Guer.	4	. 79

INSECTA.			Vol.	IV.	Page
Plate 45. Fig. 14.—GNATHIUM FLAVICOLLE, Chev.					. 79
Fig. 15.—SITARIS HUMERALIS, Fab.					. 80
Plate 46. Fig. 1.—Bruchus Marginellus, Fab.					. 8 2
Fig. 2.—Rhæbus Gebleri, Fisch.					. 82
Fig. 3.—Anthribus Garnotii, Guer.					. 82
Fig. 4.—Attelabus falcatus, Guer.					83
Fig. 5.—RHINOTIA HÆMOPTERA, KIrby					83
Fig. 6.—Eurhinus conicus, Guer.					83
Fig. 7.—Brentus Italicus, Latr				,	84
Fig. 8.—Ceocephalus furcillatus, Schn.				,	84
Fig. 9.—Antennæ of Ulocerus, cinereus, La	110	•			84
Fig. 10.—Cylas longicullis, Chev.	11.	•	•	'	
1 ig. 10.—Of LAS LONGICOLLIS, Onev.	•	•		•	84
Plate 47 Fig. 1 Progressions save and Char					05
Plate 47. Fig. 1.—Brachycerus oculatus, Chev.	•		•	•	85
Fig. 2.—Cyclomus coronatus, Schn.	•				85
Fig. 3.— Cyphus illustris, Chev.	•		•		86
Fig. 4.—Cyphus dives, Illig.		•			86
Fig. 5.—Leptocerus macilentus, Chev.					87
Fig. 6.—Pachyrhynchus profanus, Esch.					87
Fig. 7.—Syzygops cyclops, Schn.					87
Fig. 8.—RHYTIRRHINUS INFORMIS, Chev.					88
Fig. 9.—CLEONUS GUTTATUS, Chev.					88
Fig. 10.—LIXUS VITTAGER, Godet					89
Fig. 11.—Mouth of Chlorophanus viridis, So	chn.				89
g ,			·	·	00
Plate 48. Fig. 1.—LEMOSACCUS CHEVROLATII, Guer.					89
Fig. 2.—Bagous binodosus, Gyl.		•		•	89
Fig. 3.—Brachonyx indigena, Gyl.			•	•	90
Fig. 4.—BALANINUS NUCUM, Lin.		•		•	
	•		•	•	90
Fig. 5.—Heilipus peplus, Schn.		•		•	90
Fig. 6.—Alcides preustus, Guer.	•		•	•	90
Fig. 7.—Myorhinus albolinkatus,		•		•	90
Fig. 8.—Cionis pulverosus, Pareys	•		•		90
Fig. 9.—Tachygonus horridus, Chev.		4			90
Plate 49. Fig. 1.—Cholus flavo-fasciatus, Chev.					91
Fig. 2.—Camptorhynchus flattuarius, Gern	1.				91
Fig. 3.—Centrinus curvirostris, Chev.					91
Fig. 4.—Zygobs Rubricollis, Chev					91
Fig. 5.—CENTORHYNCHUS SII, Chev					91
Fig. 6.—HYDATICUS COMARII, Schn.		0	•	·	92
Fig. 7.—DIORYMERUS ALTUS, Germ		·		•	92
Fig. 8.—Mecopus trilineatus, Guer.	•		•		92
		•			
Fig. 9.—Gorgus bispinosus, Chev. Fig. 10.—Tylodes ptinioides, Gyl.	•		•	•	92
Fig. 10.—ITLODES FIINIOIDES, Gyl.		•		•	92
Di a co Til I danna Est					
Plate 50. Fig. 1.—Anchonus suillus, Fab.	•		•	•	92
Fig. 2.—RHINA BARBIROSTRIS, Fab.		•		•	93
Fig. 3.—CALANDRA GUERINI, Chev.	•		•		93
Fig. 4.—CALANDRA TAITENSE, Guer.		•			93
Fig. 5.—Belorhynus acutus, Guer.			•		93
Fig. 6.—Cercidocerus nigrolateralis, Guer		•			93
Fig. 7.—Cossonus ephippiger, Guer					93
Fig. 8.—Dryopthorus Lymexilon, Fab. ".					93
Fig. 9.—Trigonotarsus calandroides, Guer.					93
,					
Plate 51. Fig. 1.—Scolytus Flavicornis, Chev					95
Fig. 2.—Antennæ of Hylurgus piniperda					95

	INSECTA.	Vol. IV.	Page
Plate 51.	Fig. 3.—Antennæ of CAMPTOCERUS ÆNEIPENNIS, Oliv.		. 95
-	Fig. 4.—Phloiotribus oleæ, Latr		. 95
	Fig. 5.—Antennæ of Tomicus Bispinus, Meg		. 95
	Fig. 6.—PLATYPUS POEYI, Guer		. 95
	Fig. 7.—Mouth of PLATYPUS CYLINDRUS, Fab.		. 96
	Fig. 8.—PAUSSUS CURVICORNIS, Chev.		. 96
	Fig. 9.—Paussus microcephalus		. 96
	Fig. 10.—Anatomical details of PAUSSUS MICROCEPH	ALES SH	3
	Paussus Pentaplatarthrus .	ALCS GI	. 96
	Fig. 11.—PLATYRHOPALUS MELLEI, West .		. 96
	Fig. 12.—Antennæ of CERAPTERUS LATIPES, West .	•	. 96
			. 97
	Fig. 13.—Bostrichus Dufourii, Latr	•	. 97
	Fig. 14.—Cis inæquidens, Chev.		. 97
	Fig. 15.—Nemosoma elongatum, Lin.	•	
	Fig. 16.—Synchita undata, Guer.		. 98
FOI . FO	TT: 1 0		100
Plate 52.	Fig. 1.—Cucujus Mandibularis, Gory	•	. 102
	Fig. 2.—Anatomical details of Cucujus Depressus, Fab.		. 102
	Fig. 3.—Brontes spinicollis, Gory	•	. 102
	Fig. 4.—Anatomical details of Brontes Flavipes, Fab.		. 102
	Fig. 5.—Dendrophagus crenatus, Payk.		. 102
	Fig. 6.—Spondylus buprestoides, Fab.		. 105
	Fig. 7.—PARANDRA LINEOLA, Gory		. 104
	Fig. 8.—Prionus Desmarestir, Guer.	,	. 105
	Fig. 9.—Anacolus sanguineus, Serv.		. 106
	Fig. 10.—PRIONAPTERUS STAPHILINUS, Guer.	,	. 106
	· ·		
Plate 53.	Fig. 1.—LISSONOTUS UNIFASCIATUS, GOTY		. 107
	Fig. 2.—MEGADERUS STIGMA, Fab.		. 107
	Fig. 3.—TRACHYDERES NIGROFASCIATUS, Gory .		. 108
	Fig. 4.—Anatomical details of TRACHYDERES SUCCINCTUS,	Fab.	. 108
	Fig. 5.—Lophonocerus Barbicornis, Oliv.	2 000	. 108
	Fig. 6.—Callichroma speciosa, Gory	•	, 109
	Fig. 7.—Acanthopterus tripunctatus, Gory	•	. 110
	Fig. 8.—Anatomical details of ACANTHOPTERUS BUDENSIS	Goorg	. 110
		, docze	. 110
	Fig. 9.—Antennæ of Cerambyx Heros, Fab. Fig. 10.—Cerambyx hemipterus, Oliv.	•	. 110
	rig. 10.—OERAMBIA HEMIPTERUS, Oliv.	*	. 110
D1-4- 54	Ela 1 Cantunga avantanya Cons		111
Plate 54.	Fig. 1.—CERAMBYX RUFIPENNIS, GOTY		. 111
	Fig. 2.—CERAMBYX SPECULIFER, Gory	•	. 111
	Fig. 3.—CERAMBYX HIRTIPES, Oliv.	•	. 111
	Fig. 4.—Callidium insubrecum, Ziegler	•	. 112
	Fig. 5.—CERTALIUM RUFICOLLE, Fab.		. 112
	Fig. 6.—OBRIUM FERRUGINEUM, Fab		. 112
	Fig. 7.—RHINOTRAGUS COCCINEUS, Gory	.=	. 113
	Fig. 8.—NECYDALIS MAJOR, Lin	v	. 113
	Fig. 9.—Stenopterus elegans, Klug.		. 113
Plate 55.	Fig. 1.—Acrocinus trochlearis, Gory .		. 115
	Fig. 2.—Lamia aurocincta, Gory		. 115
	Fig. 3.—Tetraopes dimidiata, Gory .		. 116
	Fig. 4.—SAPERDA ALBICANS, Guer		. 117
	Fig. 5 Anatomical details of SAPERDA ATKINSONI, Cur	tis	. 117
	Fig. 6.—Antennæ of Distichocera Maculicollis, Kirby		. 114
	Fig. 7.—TINESISTERNUS BIZONULATUS, Guer.		. 114
	Fig. 8.—Tragocerus bidentatus, Donov		. 114
	Fig. 9.—Leptocera bilineata, Gory .		. 114
Plate 56	Fig. 1.—Desmocerus cyaneus, Fab.; Stenoderus cyaneu	18	. 119
	- b		d

INSECTA.	Vol. IV	
Plate 56. Fig. 2.—Vesperus græcus, Guer.	•	. 120
Fig. 3.—RHAGIUM BIFASCIATUM, Fab.	•	. 120
Fig. 4.—RHAMNUSIUM SALICIS, Fab.	•	. 120
Fig. 5.—Toxotus meridianus, Fab.	•	. 120
Fig. 6.—Pachyta Laportii, Guer.	•	. 120
Fig. 7.—Stenoderus ceramboides, Kirby .	•	. 121
Fig. 8.—LEPTURA ANNULATA, Gory		. 121
Plate 57. Fig. 1.—MEGALOPUS UNIFASCIATUS, Gory .		. 123
Fig. 2.—Sagra Cyanea, Dalm.		. 123
Fig. 3.—Anatomical details of SAGRA SPLENDIDA, Fab.		. 123
Fig. 4.—Orsodacna violacea, Chev.		. 123
Fig. 5.—PSAMMÆCHUS BIPUNCTATUS, F. Boudier		. 123
Fig. 6.—Donacia Fennica, Gyl		. 124
Fig. 7.—Anatomical details of Donacia Sagittaria, Fa	ab.	. 124
Fig. 8.—Hinder Tarsus of HEMONIA ZOSTERE, Gyl.		. 124
Fig. 9.—Petauristes crassipes, Oliv.		. 124
Fig. 10.—CRIOCERIS DORYCUS, Guer		. 125
Fig. 11.—Anchenia betulæ, Fab.		. 125
Fig. 12.—MEGASCELIS PRASINA, Chev.		. 126
rig. 12. Mad Abordin i Radika, Onov.	•	. 120
Plate 58. Fig. 1.—Alurnus corallinus, Vigors .		. 127
Fig. 2.—Oxycephala cornigera, Guer		. 128
		. 128
Fig. 3.—Hispa Fabricii, Guer.		. 128
Fig. 4.—Anatomy of the foot of CHALEPUS SPINIPES, Fab	,	. 129
Fig. 5.—Cassida Longicornis, Fab.	•	
Fig. 6.—Anatomical details of Cassida discors, Fab.	•	. 129
Fig. 7.—Antennæ of CRYPTOCEPHALUS SPECIOSUS, Guer	٠	. 129
Fig. 8.—CLYTHRA PERCHERON, Gory	•	. 130
Fig. 9.—CHLAMYS CAPREA, Klug.	•	. 130
Fig. 10.—Lamprosoma corrusca, Gory	•	. 130
Fig. 11.—Choragus Sheppardi, Kirby .	•	. 131
Fig. 12.—EURYOPE QUADRI-MACULATA, Oliv.	•	. 131
Fig. 13.—Eumolpus cyaneus, Fab.	•	. 131
701 - 100		
Plate 59. Fig. 1.—Colaspis illustris, Chev	•	. 131
Fig. 2.—Podontia affinis, Germ.	•	. 132
Fig. 3.—Phyllocharis bicincra, Guer.	•	. 132
Fig. 4.—PHYLLOCHARIS SPLENDENS, Guer.		. 132
Fig. 5.—Doryphoba multi-punctata, Chev.	- •	. 132
Fig. 6.—Palpæ of Doryphora adunca, Chev.	•	. 132
Fig. 7.—Paropsis octo-lineata, Gory .		. 132
Fig. 8.—Timarcha Balearica, Gory .		. 133
Fig. 9.—Chrysomela humeralis, Gory .		. 133
Fig. 10.—Palpæ of Chrysomela sanguinolenta, Lin.		. 133
Fig. 11.—PHÆDON CYANOPTERUS, GORY		. 134
Fig. 12.—Prasocuris Hanoveriana, Fab		. 134
-		
Plate 59. bis. Fig. 1.—Adorium Basale, Guer	1	. 135
Fig. 2.—Anatomical details of Adorium Bipunstati	UM, Chev	135
Fig. 3.—GALERUCA DIMIDIATA, Guer		. 135
Fig. 4.—Anatomical details of GALERUCA VIBURNI,	Payk.	. 135
Fig. 5.—Antennæ of Galeruca Quadri-Maculata,	Lin.	. 135
Fig. 6.—Luperus cinctellus, Chev.		. 135
Fig. 7.—Anatomical details of Luperus Brassice,	Panz.	. 135
Fig. 8.—Octogonotes Quadri-Lineatus, Chev.		. 155
Fig. 9.—Octogonotes thoracicus, Bosc.		105
Fig. 10.—ŒDIONYCHIS FIGURATUS, Chev,		. 136
Rig. 11.—PSYLLOIDES ANGLICA, Chev.		
Ele. II.—I SILLUIDES LINGUICA, OHEY.	•	. 136

	INSECTA.	Vol.	IV. Page
Plate 59	bis. Fig. 12.—DIBOLIA BOREALIS, Chev.		. 136
	Fig. 13.—ALTICA CHEVROLATII, Guer.		. 136
	Fig. 14.—Longitarsus dorsalis, Fab.	,	. 137
Plate 60	. Fig. 1.—EROTYLUS BENGALENSIS, Guer. A new species.		. 137
	Fig. 2.—AEGYTHUS SURINAMENSIS, Fab		. 138
	Fig. 3.—TRIPLAX BRUNNIPES, Chev		. 138
	Fig. 4.—Antennæ of TRIPLAX NIGRIPENNIS, Fab		. 138
	Fig. 5.—LANGURIA AFRICANA, Chev.		. 138
	Fig. 6.—PHALACHRUS GRANULATUS, Guer.		. 138
	Fig. 7.—Eumorphus hamatus, Guer		. 139
	Fig. 8.—Dapsa trimaculata, Meg		. 139
	Fig. 9.—Eudomychus tibialis, Chev		. 139
	Fig. 10.—Anatomical details of Lycoperdina Bivistæ, I	ab.	. 139
	Fig. 11.—LYCOPERDINA LATA, Chev		. 139
	Fig. 12.—LITHOPHILUS RUPICOLLIS, Dahl.		. 140
D1 . 01	71 1 0		
Plate 61.	Fig. 1.—Coccinella furcifeba, Guer.		. 141
	Fig. 2.—Anatomical details of Coccinella ocellata, Lit	ı.	. 141
	Fig. 3.—CACIDULA LITURA, Fab.		. 141
	Fig. 4.—Scymnus quadri-nottatus, Illig.	•	. 141
	Fig. 5.—Clypeaster pusillus, Gyl.		. 141
	Fig. 6.—METOPIAS CURCULIONOIDES, Gory	•	. 141
	Fig. 7.—CHENNIUM BITUBERCULATUM, Latr		. 142
	Fig. 8.—Anatomical details of a Dionix	•	. 142
	Fig. 9.—Pythinus securiger, Leach		. 142
	Fig. 10.—Pselaphus heisei, Herbst	•	. 142
	Fig. 11.—Bryaxis Lefebvrii, Aube		. 143
	Fig. 12.—Bryaxis Longicornis, Leach	•	. 143
	Fig. 13.—Bryaxis antennata, Aube		. 143
	Fig. 14.—EUPLECTUS KIRBII, Denny	•	. 143
	Fig. 15.—Anatomical details of EUPLECTUS NANUS, Reich.		. 143
	Fig. 16.—CLAVIGER FOVEOLATUS, Müll.	•	. 143
	Fig. 17.—Ptillium fasiculare, Herbst		. 144
Plate 62	Fig. 1.—Forficula croceipennis, Serv.		1.40
- Tate 02.	Fig. 2.—Anatomical details of Forficula Auricularia, L	· .	. 146
	Fig. 3.—BLATTA PICTA, Fab.	ш.	. 147
	Fig. 4.—Anatomical details of BLATTA Æ SYPTIACA, Fab.		. 148
	Fig. 5.—Empusa lobipes, Oliv.	•	. 148
	Fig. 6.—Anatomical details of EMPUSA PAUPERATA, Fab.		. 149 . 150
	Fig. 7.—Anatomical details of Mantis Religiosa, Lin.	•	. 150
	G James and a second seco		. 100
Plate 63.	Fig. 1.—PHASMA ANNULATA, Serv		. 151
	Fig. 1.—Phasma annulata, Serv. Fig. 2.—Antennæ of a Bacillus Fig. 3.—Head of a Cyphocrana		. 150
	Fig. 3.—Head of a Cyphocrana		. 150
	Fig. 4 —BACTERIA SCABROSA, Perch.	•	. 150
	Fig. 5.—Anatomical details of CLADOXERUS ROSEIPENNIS, C	luer.	. 151
Plate 64.	Fig. 1.—GRYLLUS SERVEILLEI, Guer		. 152
	Fig. 2.—Anatomical details of GRYLLUS CAMPESTRIS, Fab.		. 153
	Fig. 3.—GRYLLOTALPA DIDACTYLUS, Latr		. 152
	Fig. 4.—Anatomical details of GRYLLOTALPA VULGARIS		. 152
	Fig. 5.—Tridacty lus fasciatus, Perch.		. 153
	Fig. 6.—MYRMECOPHILA ACERVORUM, Panz.		. 154
	Fig. 7.—Locusta ERYTHROSOMA, Encyc.	•	· 154
	Fig. 8.—PNEUMORA INANIS, Fab.		. 155
	Fig. 9.—ACRYDIUM TARSATUM, Serv.		. 157
	Fig. 10.—Anatomical details of ACRYPIUM MIGRATORIUM		15.6

	INSECTA.		Vol. 1	V. Page
Plate 65.	Fig. 1.—Scutellera Dives, Guer			. 160
3	Fig. 2.—Pentatoma yolofa, Guer.			. 160
]	Fig. 3.—Anatomical details of Pentatoma Grisea,	Latr.		. 161
	Fig. 4 -TESSERATOMA SONNERATH, Serv. and St.			. 161
	Fig. 5.—PHLEA CASSIDOIDES, Serv. and St. Farg.	0		. 161
	Fig. 6.—Coreus Rubiginosus, Guer.			. 161
	Fig. 6. a.—Antennæ of a Gonocerus			. 162
	Fig. 6. b.—Antennæ of a Syromastes		•	. 162
		•	•	. 162
	Fig. 7.—Antennæ of a Pachlis		•	
	Fig. 8.—Antennæ of a Holhymenia	•	•	. 162
	Fig. 9.—Aniscscelis profanus, Fab.			. 162
	Fig. 10.—Alydus annulicornis, Guer.	•	•	. 163
1	Fig. 11.—Neides TIPULARIA, Latr		•	. 168
Plate 66.	Fig. I.—Lygæus Pæyi, Guer			. 163
]	Fig. 2.—Anatomical details of Lyg Eus Apterus, Li	n.		. 163
]	Fig. 3.—Macrocheraia grandis, Gray			. 163
	Fig. 4.—SALDA ERYTHROCEPHALA, Serv.			. 163
	Fig. 5.—Head of Myodocha TIPULOIDES, Latr.			. 164
7	Fig. 6.—ASTEMMA MERCURIALIS, Guer			. 164
	Fig. 7.—Myris Pulchellus, Guer.			. 164
	Fig. 8.—Antennæ of Capsus Flavicollis, Fab.	•	•	. 164
-	Fig. 0.—Antenna of Hampa apparent at a trace Co		• 	
	Fig. 9.—Antennæ of HETER SPISSICORNIS, Latr.; Ca	psus s	pissico	rnis 164
-	Fig. 10.—Macrocephalus affinis, Guer.	•	•	. 165
	Fig. 11.—Antennæ of Ph. CRASSIPES, Fab.		•	. 165
	Fig. 12.—Antennæ of Ph. EROSA, Fab.	•	•	. 165
	Fig. 13.—Anternæ of Tingis pyri, Fab.		•	. 165
]	Fig. 14.—Antennæ of Aradus Corticalis			. 165
	Fig. 15.—Aradus lunatus, Fab.			. 165
	Fig. 16 —Anatomical details of CIMEX LECTULARIU	s, Lin		. 165
	Fig. 17.—REDUVIUS AMÆNUS, Guer.			. 166
	Fig. 18.—REDUVIUS PERSONATUS, Lin.			. 166
	Fig. 19.—PLOIARIA PALLIDA, Guer.		•	. 167
	is. is. I commin inclina, out		•	. 10,
Dieto 67	Fig. 1.—Hydrometra Stagnorum, Lin.			. 167
		•		
	Fig. 2.—Gerris Marginatus, Guer.		•	. 168
	Fig 3.—Velia rivulorum, Fab.	•		. 168
	Fig. 4.—GALGULUS FLAVUS, Guer.		•	. 168
	Fig. 5.—Naucoris Poeyi, Gu-r.			. 169
	Fig. 6.—Antennæ of Sphærodema rotundata, La	ip.		. 169
	Fig. 7.—Nepa grisea, Guer			. 170
	Fig. 8.—RANATRA FILIFORMIS, Fab.			. 170
	Fig. 9.—Corixa Cubæ, Guer.			. 170
	Fig. 10.—Notonecta furcata, Fab.			. 171
Plate 68.	Fig. 1.—CICADA DIARDI, Guer.			. 174
	Fig. 2.—FULGORA LATHBURII, Kirby .	•	•	. 174
			•	. 174
	Fig. 3.—Aphæna varlegata, Guer.	•	•	
	Fig. 4.—CIXIUS PELLUCIDUS, Guer.		•	. 174
	Fig. 5.—Head of Lystra Lanata, Fab.	•	•	. 175
	Fig. 6.—RICANIA MARGINELLA, Guer.			. 175
	Fig. 7.—PŒCILOPTERA MACULATA, Guer.			. 175
]	Fig. 8.—Head of FLATA FLOCCOSA, Guer.		•	. 175
	Fig. 9.—Tettigometra virescens, Latr.			. 175
	Fig. 10.—Issus pectinipennis, Guer.			. 176
	Fig. 11.—Head of Issus COLEOPTRATUS, Fab.			. 176
	Fig. 12.—Head of OTIOCERUS COQUEBERTII, Kirby			. 175
	Fig. 13.—Anotia coccinea, Guer.			. 176
-	Fig. 14.—Head of Derbo Pallida, Fab.			1 = 0
	Fig. 15.—Asiraca Clavicornis, Fab.			. 176

	INSECTA.	Vol. IV.	Page
Plate 68	Fig. 16.—UGYOPS PERCHERONIE, Guer.		. 176
	Fig. 17.—Head of DELPHAX MINUTA, Fab.		. 176
	,		
Plate 69.	Fig. 1.—Membracis mexicana, Guer.		. 177
	Fig. 2.—DARNIS AFFINIS, Guer.		. 177
	Fig. 3.—Bocidium proximum, Guer.		. 177
	Fig. 4.—Centrotus anchorago, Guer.		. 177
·or	Fig. 5 - Anatomical details of Cramponius consumus Fal		
	Fig. 5.—Anatomical details of CENTROTUS CORNUTUS, Fal). [. 177
	Fig. 6.—Anatomical details of ÆTALION RELICULATUM, I	Lair.	. 178
	Fig. 7.—LEDRA AURITA, Fab.		. 178
	Fig. 8.—CERCOPIS URVILLEI, Serv.		. 179
	Fig. 9.—Anatomical details of CERCOPIS SANGUINOLENTA,	Panz.	. 179
	Fig. 10.—Tettigonia pulchella, Guer.		. 180
	Fig. 11.—PSILLA GENISTÆ, Guer.		. 181
	Fig. 12.—Antennæ of a Livia	•	. 181
	Fig. 13.—THRIPS FASCIATA, Fab		. 181
	Fig. 14.—Antennæ of Thrips ULMI, Fab.		. 181
	Fig. 15.—APHIS ROSÆ, Fab.		. 182
	Fig. 16.—Head of an ALEIRODES		. 183
	Fig. 17.—Coccus cacti, Lin.		. 185
	116. IV. Doctors onell, Zim.	•	. 100
Plate 70	Fig. 1.—LIBELLULA INDICA, Fab.		100
I late 70.			. 189
	Fig. 2.—Nymphæ of Libellula depressa, Lin.	•	. 189
	Fig. 3.—Hinder claws of the Æshne of Egypt .		190
	Fig. 4.—Agrion Chinensis, Guer. Fab.	•	. 190
	Fig. 5.—Hinder claws of Agrion virgo, Fab.		. 191
	Fig. 6.—Nymphæ and Anatomical details of Agrion Pue		
	Fig. 7.—EPHEMERA LIMBATA, Serv		. 193
	Fig. 8.—Larva of Ephemera vulgata, Lin.		. 193
	Fig 9.—EPHEMERA BILOCULATA, Fab.		. 193
	,		
Plate 71.	Fig. 1Nemoptera extensa, Oliv.; Nemoptera halter	ata, Fab.	. 194
	Fig. 2.—BITTACUS TIPULARIUS, Latr		. 194
	Fig. 3.—Anatomical details of PANORPA COMMUNIS, Lin.	•	104
	Fig. 4. Penrus representation I in		194
	Fig. 4.—Boreus hiemalis, Lin.	•	. 194
Diata 79	No. 1 Douts of the challeton of Community we are a party	_	
Flate 12.	No. 1.—Parts of the skeleton of Geotrupes nasicornis.		
	Fig. 1 Pronotum from beneath, the prosternum is remov	ed. a. a	-The
	reflexed margin.	·,,	-110
	Fig. 2.—Prosternum from beneath.		
	Fig. 3.—The same from the side. a.—The internal proce	2000	
	Die 4 Mars and matathonax from above	esses.	
	Fig. 4.—Meso and metathorax from above.	D	ъ
	Fig. 5.—Mesosternum with the scapulæ. E.—Mesostern	num. D,	ש.—
	Ala anterior scapulæ. D*, D*Ejusd. ala p	osterior.	
	Fig. 6.—Meso and metathorax from below.		
	Fig. 7.—Mesosternum from within. a, a, a.—The three	e points of	of the
	processus internus.		
	Fig. 8.—The internal process from the side. a, a, a,—Ti	he three p	oints.
	•	•	
Plate 72.	No. 2.—Skeleton of CETONIA AURATA.		
	Fig. 1.—Meso and metathorax from above.		
	Fig. 2.—The same from beneath.		
	Fig. 3.—Prosternum and scapulæ seen from the front.		
	Fig. 4.—The connate sternum from within. a, a.—Proc.	intern. m	esos-
	terni. b.—Proc. intern. metast.		
Plate 72	No. 3.—Skeleton of Hydrophilus piceus.		
	Fig. 1.—Pronotum from beneath. a, a.—Reflexed marg	in	
	Fig. 2.—Prosternum from beneath.		
	Fig. 3.—Mesonotum from above.		
	Fig. 4.—Metanotum from above.		

I late / 2.	Fig. 6.—Sternum from within. a.—The internal processes of t sternum which ascend to the scapulæ. b, b.—Wing	
	Fig. 7.—Sternum from the side. a, a.—The pro. int. mesost. a	scending
	as far as the scapulæ. b, b.—Both wings of the	processus
	internus metast. d.—This process itself. e.—A the	un norny ally visi.
	lamella which lies beneath the proc. g .—An extern ble aperture which indicates the point of division between the point of division between the point of division between the process of	ween the
	two parts of the connate sternum.	
	Fig. 8.—Parapleuræ from the inner surface, with the tendon of	the large
	extensor of the wing. a.—The plate-shaped distensi	
	The central petiole which is affixed to the anterior main	n ne rv ur e
	of the wing.	
TO 1 . (/T/2	Fig. 1 Manager Parameter Comm	TOE
Plate 15.	Fig. 1.—Myrmeleon Percheronii, Guer.	. 195 . 195
	Fig. 2.—Larva of Myrmeleon formicarius, Lin. Fig. 3.—Ascalaphus Brasilianus, Guer.	. 195
	Fig. 4.—HEMEROBIUS CAPITATUS, Fab.	. 197
	Fig. 5.—Anatomy of the Hemerobius of Egypt	. 197
	Fig. 6.—SIALIS LUTARIUS, Latr	. 198
Plate 74.	Fig. 1.—CIMBEX PATERALIS, Guer	. 210
	Fig. 2.—Anatomy of the Perga	. 210
	Fig. 3.—Schizocera furcata, Fab.	. 211
	Fig. 4.—Anatomy of the HYLOT	. 211
	Fig. 5.—Anatomy of the TENTHREDO	. 211
	Fig. 6.—CLADIUS PALLIPES, Lep.	. 212 . 212
	Fig. 7.—Anatomy of CLADIUS DIFFORMIS Fig. 8.—Anatomy of the ATMALIA	. 212
	Fig. 8.—Anatomy of the Athalia	. 213
	Fig. 10.—Anatomy of the LOPHYRUS	. 213
	Fig. 11.—Anatomy of the PAMPHILIUS	. 213
	Fig. 12.—XYELA PUSILLA, Dal	. 213
	Fig. 13.—Cephus flaviventris, Lef.	. 214
	Fig. 14.—Larva, &c. of CEPHUS PYGMÆUS	. 214
	Fig. 15.—Anatomy of a XIPHYDRIA	. 214
	Fig. 16.—Anatomy of a ORYSSUS	. 214
	Fig. 17.—SIREX LEFEBURE	. 215
	Fig. 18.—Anatomical details of a Sirex	. 215
Plate 75	Fig. 1.—EVANIA CABÆ, Guer.	. 216
I late 10.	Fig. 2.—Abdomen of Evania appendigaster, Fab.	. 216
¥:-	Fig. 3.—Pelecinus polycerator, Latr	. 216
i.	Fig. 4.—FŒNUS CAPENSIS, Serv	. 216
4.	Fig. 5.—Stephanus furcatus, Serv.	. 218
	Fig. 6.—OPHION MARGINATUS, Fab	. 218
	Fig. 7.—JOPPA PICTA, Serv.	. 220
	Fig. 8.—ICHNEUMON GROSSORIUS, Gray	. 219
	Fig. 9.—Peltastes suarius, Gray	. 221
Plate 76	Fig. 1 ACENTRIS ADAMOR Possi	001
	Fig. 1.—Acænitus arator, Rossi. Fig. 2.—Agathis purgator, Fab.	• 221
	Fig. 3.—Bracon ornator, Fab.	. 221 . 221
	Fig. 4.—Anatomical details of Bracon Denigrator, Lin.	. 221
	Fig. 5.—VIPIO NOMINATOR, Latr.	. 222
	Fig. 6.—Microgaster deprimator, Latr	. 222
	Fig. 7.—Anatomical details of Microgaster Alvearius, Lin.	. 222
	Fig. 8.—Helcon spinator, Serv	. 222
	Fig. 9.—SIGALPHUS IRRORATOR, Latr.	. 222

TABLE OF THE PLATES.

	INSECTA.	Vol.	IV.	Page
Plate 76.	Fig. 10.—CHELONUS OCCULATOR, Jurine .			. 222
	Fig. 11.—ALYSIA MANDUCATOR, Fab			. 222
Plate 77.	Fig. 1.—CYNIPS QUERCUS TOJÆ, Fab.			. 221
	Fig. 2.—IBALIA CULTELLATOR, Fab			. 224
	Fig. 3.—FIGITES SCUTELLARIS, Latr			. 224
	Fig. 4.—CHALCIS LASNIERII, Guer			. 225
	Fig. 5.—Anatomical details of CHALCIS MACLEANII, Curl			. 225
	Fig. 6.—Chalcis caudatus, Guer			. 225
	Fig. 7.—LEUCOSPIS PEDICULATA, Guer.	•		. 226
	Fig. 8.—Thoracantha Latreillii, Guer			. 226
	Fig. 9.—Head of an Agaon			. 226
VCL	Fig. 10.—Head of DIRHINUS, Dalm			. 227
6-	Fig. 11.—EURYTOMA COOPERII, Curt.			. 227
43	Fig. 12.—Perilampus violaceus, Fab.			. 227
	Fig. 13.—Antennæ of the CLEONYMUS .			. 227
	Fig. 14.—Antennæ of the Encyrtus			. 227
	Fig. 15.—EULOPHUS PECTINICORNIS, Fab			. 227
Plate 78.	Fig. 1.—DRYINUS CURSOR, Hal			. 228
	Fig. 2.—HELORUS ANOMALIPES, Panz	•		. 229
	Fig. 3.—Sparasion frontale, Latr			. 230
	Fig. 4.—Galesus fuscipennis, Curt.			. 230
	Fig. 5.—PLATYGASTER BOSCH, Jurine			. 230
	Fig. 6.—MYMAR PULCHELLUS, Walk.			. 230
	Fig. 7 Anatomical details of TELEAS ELATIOR, Hal.			230
	Fig. 8.—Antennæ of a CINETUS			2 30
	Fig. 9.—CHRYSIS MEXICANA, Guer			231
	Fig. 10.—Anatomical details of the HEDYCHRUM			231
	Fig. 11.—CLEPTES THORACICA, Lap.			232
Plate 79.	Fig. 1.—FORMICA RUFA, Lin			236
	Fig. 2.—Atta armigera, Latr			237
	Fig. 3.—CRYPTOCERUS ATRATUS, Latr			237
	Fig. 4.—MUTILLA SENEX, Guer			238
	Fig. 5.—Anatomical details of MUTILLA EPHIPPIUM, Fab.			238
	Fig. 6.—MYRMOSA MELANOCEPHALA, Latr			239
	Fig. 7.—METHOCA ICHNEUMONIDES, Latr.			239
	Fig. 8.—TENGYRA SANVITALI, Latr.			240
	Fig. 9.—Myzine volvulus, Latr			241
	Fig. 10.—Scolia formosa, Guer.			241
	Fig. 11.—SAPYGA VARIA, Latr			241
Plate 80.	Fig. 1.—Pompilus viaticus, Fab.			242
	Fig. 2.—Sphex auruonta, Guer			242
	Fig. 3.—Ammophilus apicalis, Guer			213
	Fig. 4.—Ampulex compressiventris, Guer.			244
	Fig. 5.—Pelopæus lunatus, Fab.			245
	Fig. 6.—Bembex Peruviana, Guer			245
	Fig. 7.—Anatomical details of a Bembex	,		245
	Fig. 8.—Anatomical details of a Monedula .			216
	Fig. 9.—Lyrops auriventris, Guer.			246
	Fig. 10.—DINETUS PICTUS, Jurine			216
				-10
Plate 81.	Fig. 1.—ASTATA BOOPS, Spin			247
	Fig. 2.—Oxybelus uniglumis, Fab.			2.17
	Fig. 3.—Trypoxylon figulus, Latr			248
	Fig. 4.—Gorytes mystaceus, Latr.			248
	Fig. 5.—Crabro cephalotes, Lin			248
	Fig. 6.—Mellinus arvensis. Lin			249
				20

Vol. IV. Page

	INSECTA.	Vol. IV.	Page
Plate 81.	Fig. 7.—Psen ater, Latr		249
	Fig. 8.—Anatomical details of PHILLANTHUS ANDROGYNU		250
	Fig. 9.—Cerceris bifasciata, Guer.		250
	Fig. 10.—Anatomical details of CERCERIS LÆTA, Fab.		250
Plate 92	Fig. 1.—CELONITES APIFORMIS, Latr.		251
1 1410 02.	Fig. 2.—CERAMIUS FONSCOLOMBII. Klug.		252
	Fig. 3.—SYNAGRIS CALIDA, Fab.		252
	Fig. 4.—EUMENES SAVIGNYI, Guer		252
	Fig. 5.—ODYNERUS ELEGANS, Guer.		. 252
	Fig. 6.—Polistes Lefebyrii, Guer		. 253
	Fig. 7.—Polistes Nidulans, Fab	•	. 253
DI-4- 00	n: 1 A G		Or #
Flate 83.	Fig. 1.—Andrena femoralis, Guer.	•	. 257
	Fig. 2.—Anatomical details of Andrena Kirbii, Curt.		. 257 . 258
	Fig. 3.—Nomia crassipes, Oliv. Fig. 4.—Panurgus ater, Latr.		. 2 59
	Fig. 5.—XYLOCOPA AURIPENNIS, Lep		259
	Fig. 6.—CERATINA VIRIDIS, Guer		. 260
	Fig. 7 MEGACHILE CENTUNCULARIS, Lin.		. 261
	Fig. 8.—Anthidium diadema, Latr		. 262
	Fig. 9.—Cœlioxys Rufipes, Guer		. 262
	Fig. 10.—Anatomical details of CŒLIOXYS VICTIS, Curt.		. 262
	71		
Plate 84.	Fig. 1.—EPEOLUS VARIEGATUS, Lin.	•	. 263
	Fig. 2.—CROCISA PULCHELLA, Guer.	•	. 264
.0	Fig. 3.—Melitturga clavicornis, Latr. Fig. 4.—Anthophora apicalis, Guer.	•	. 265
and a	Fig. 5.—Anatomical details of Anthophora Hawortha	NA Kirby	265
	Fig. 6.—Centris clypeata, Lepel.	.NA, 15.110y	. 266
	Fig. 7.—Macrocera Lasnierii, Guer		. 264
			0.
Plate 85.	Fig. I Acanthopus splendidus, Klug.		. 266
	Fig. 2.—Euglossa dentata, Latr		. 266
	Fig. 3.—Bombus Dahlbomii, Guer.	•	. 266
	Fig. 4.—Apis Adansonii, Latr.	•	. 269
	Fig. 5.—Anatomical details of APIS MELLIFICA, Lin.	•	. 269
	Fig. 6.—Melipona fulvipes, Guer.	•	. 273
	Fig. 7.—TRIGONA FASCIATA, Guer	•	. 273
Plate 86	Fig. 1 A portion of the hard membrane of the brain of	Dyntsons a	ADEL
1 1410 00	NALIS.	D 1 1150 05 1	IANGI-
	Fig. 2.—Brain of the caterpillar of Cossus LIGNIPERDA	Lyonet.	A.—
	Cerebrum. B.—Cerebellum. a, a.—Nerv	es of the	eves.
	b, b.—Of the antennæ. c.—Cord round the o	esophagus.	d, d.
	-Cord connecting the cerebrum and cere	ebellum.	e. e
	Nerves of the mandibles, the branches of the	second ne	erve of
	the lip g g, whence a branch for a muscle, N,	originates.	f,f
	—Nerves of the maxillæ. g. g. —Second of the labium, of which the nerve of the man	onnecting	nerve
	g^* , g^* .—First nerves of the labium, which	rive off a b	ranch.
	M. to the muscles of the maxille. O. O.	-Nerves	of the
	muscles of the mandibles and antennæ. P. I	Nerves	of the
	muscles of the mandibles. R. R.—Nerve	s that dis	tribute
	themselves at the posterior portion of the skull.	. S. S.—1	Verves
	of the muscles of the neck, which pass into the	e thorax.	\mathbf{v} . \mathbf{v}
	—Connecting cords of the cerebellum and fir	st thoracic	canc-
s = -	lion. D.—The frontal ganglion, formed of t	he two bra	nches,
	E E, whence the sympathetic nerve, F, origi	nates.	

Plate 86. Fig. 3.—Cerebrum of the caterpillar of Cossus Ligniferda, Lyonet.

E, E.—Branches to the frontal ganglion. O.—Nerve of the muscles of the mandibles. b, b.—Nerves of the antennæ. a, a.—Nerves of the eyes. c c.—Cord of the cosophagus. P, P.—Nerves of muscles. A, A.—Small ganglion of the sympathetic nerve. B, B.—Branches. F.—Nervus sympathicus.

Fig. 4.—Brain of Melolontha vulgaris, Straus. A.—Cerebrum. B.—Cerebellum. a, a.—Optic nerves. b, b.—Nerves of the antennæ. d, d.—First ganglion of the sympathic system. G, G.—Second ganglion. D.—Frontal ganglion. e, e.—Nerves of the mandibles. f, f.—Nerves of the maxillæ.

Fig. 5.—Cerebellum alone, of Melolontha vulgaris. e, e.—Nerves of mandibles. f, f.—Nerves of maxillæ. k, k.—Connecting cord with the cerebrum. h, h.—Connecting cords to the first tho-

racic ganglia.

Fig. 6.—Cerebrum of GRYLLUS MIGRATORIUS, with the sympathic system seen from above. A. A.—Optic nerves. B, B.—Nerves of the antennæ. a.—Frontal ganglion. b.—First ganglion, in which the odd nerve terminates. c, c.—The large ganglia. e, e.—The small ganglia, whence the sympathic nerve originates by two branches, which again unite at d* and d*. e, e.—Small ganglia upon the æsophagus. f, f.—First ganglion upon the crop. g, g.—Second, which lies at the end of the crop. h, h.—Nerves which pass between the blind appendages.

Fig. 7.—Brain of GRYLLUS MIGRATORIUS, seen from the front. A, A.—
Optic nerves. a, a.—Nerves which pass to the frontal ganglion. b, b.—Nerves of the antennæ. a*, a*, a*.—Nerves to
the ocelli. d, d.—Connecting cords between the cerebrum
and cerebellum. d*.—The connecting cord of these. B:—
Cerebellum. e, e,—Nerves of the mandibles. f, f.—Nerves

of the maxillæ,

Fig. 8.—Ventral cord of the fly Eristalis Tenax. a, a.—Connecting cords with the cerebellum. A, A.—Nerves of the anterior legs. B, B.—Of the intermediate, C, C.—Of the posterior. b, b.—Branches of the muscles which pass into the abdomen. d.—First abdominal ganglion. c, c.—Branches of it. e.—Second abdominal ganglion. f, f, h, h, g, g.—Branches of it to the genitalia and other internal organs.

Plate 87. Fig. 1. A.—Brain of the larva of Calosoma sycophanta. A.—Cerebrum.

a, a.—Optic nerves. b, b.—Nerves of the antennæ. d, d.—

Branches to the frontal ganglion. D.—Frontal ganglion.

F.—First ganglion of the sympathic system. B.—Cerebellur.

e, e.—Nerves of the mandibles. f, f.—Nerves of the maxillæ.

g, g.-Nerves of the labium.

Fig. 1. B.—I art of the ganglionic ventral cord of the larva of Calosoma SYCOPHANTA. k.—Cerebellum. h, h.—Auxiliary connecting cord, with the first thoracic ganglion. n, n.—Auxiliary ganglia. A, A.—Nerves of the anterior legs. L.—First thoracic ganglion. i, i.—Auxiliary connecting cords of the first and second ganglia, forming small ganglia, m. k, k.—Auxiliary connecting cords between the second and third ganglia. M.—Second thoracic ganglion. N.—Third. O.—Fourth. p, p, q, q, r, r, s, s.—Nerves of muscles. B, B.—Nerves of the intermediate legs. C, C.—Nerves of the posterior legs.

Fig. 2.—The ventral cord of Dytiscus Marginalis. A, A.—Nerves of the anterior legs. B, B.—The intermediate ones. C, C,—

The posterior ones.

Plate 87.	Fig. 3.—Ventral cord of the larva of ERISTALIS TENAX. Fig. 4.—Cerebrum of Vespa Germanica. a, a, a.—Nerves to the case. A, A.—Optic nerves. B, B.—Nerves of the antennæ, co	ocelli. ut off.
	c.—Branch to the cerebellum. Cerebrum and sympathic system of the caterpillar of Ln Mori, Brandt. A, A.—Nerves of the eyes. B, B.—N of the antennæ. C, C.—Hemispheres of the cerebrum. a, c.—Nerves which originate from the frontal ganglion at branches. b*, b*.—First ganglion of the osophagus. b**, Second ganglion of the osophagus. f.—Nervus sympat d.—Its first ganglion. e.—Its second ganglion. Fig. 6.—The same in the developed moth, marked as before.	erves a, a, a. nd its b**. hicus.
Diala 99	Fig. 7.—The same of Melog Proscarabeus, Brandt, marked simila Vol. IV.	Page
rate co.	Fig. 2.—Caterpillar and Chrysalis of Papillo Machaon, Lin.	. 278 . 279 . 279 . 279
Plate 89.	Fig. 1.—PIERIS THIRIA, Godard Fig. 2.—Caterpillar and Chrysalis of PIERIS BRASSICE, Lin.	. 279 . 279
	Fig. 3.—HELICONIA LANGSDORFII, Godard Fig. 4.—Danaida Eunice, Godard	. 280 . 280
Plate 90.	Fig. 1.—Vanessa callithea, Godard Fig. 2.—Argynnis moneta, Geyer	. 2 81
	Fig. 3.—Caterpillar and Chrysalis of Argynnis Paphia, Godard Fig. 4.—NYMPHALIS ETHEA, Godard	. 280 . 280
	Fig. 5.—Caterpillar and Chrysalis of NYMPHALIS ILIA, Godard	. 282
Plate 91.	Fig. 1.—Satyrus Balder, Boisd. Fig. 2.—Caterpillar and Chrysalis of Satyrus Jurtina, Godard	. 283 . 283
	Fig. 3.—Eumenia toxea, Godard Fig. 4.—Erybia carolina, Godard	. 283 . 283
Plate 92.	Fig. 1.—PAVONIA ACADINA, Godard	. 282
	Fig. 2.—Morpho actorion, Godard Fig. 3.—Anatomical details of Morpho Phidippus, Godard	282
Dlata 02	Fig. 4.—Brassolis astyra, Godard	. 283 . 285
Flate 55.	Fig. 1.—Urania Boisduvalli, Godard Fig. 2.—Hesperia sabadius, Bdv. Fig. 3.—Caterpillar and Chrysalis of Hesperia tages, Fab.	. 285 . 285
	Fig. 4.—Caterpillar of HESPERIA LINEA, Fab.	. 285
Plate 94.	Fig. 1.—Erycina virginiensis, Boisd. Fig. 2.—Caterpillar Chrysalis and Anatomy of Erycina Lucina	. 284 . 284
	Fig. 3.—Myrina Jaffra, Godard Fig. 4.—Polyommatus Thoe, Boisd.	. 284 . 284
	Fig. 5.—Caterpillar and Chrysalis of Polyommatus pruni, Godar Fig. 6.—Zephyrius amor, Dalm.	
0.1.701	Fig. 7.—Anatomy of Polyommatus Roxus, Godard	. 284
≱nd. Pla	te 94. Fig. 1.—Splinx Jasminearum, Bdv. Fig. 2.—Smerinthus 10, Bdv. Fig. 3.—Sesia asilipennis, Bdv.	. 287 . 288 . 289
Plate 95.	Fig. 1.—Hepialus lupulinus, Fab. Fig. 2.—Cossus Macmurtrei, Bdv	. 292 . 293
	Fig. 3.—Caterpillar of Cossus Ligniperda, Fab.	. 293

TABLE OF THE PLATES.

	INSECTA.	Vol. IV.	Page
Plate 95.	Fig. 4.—Stygia australis, Latr		. 293
	Fig. 5.—Zeuzera scalaris, Donov		. 293
	Fig. 6.—Caterpillar of ZEUZERA ÆSCULI, Fab.		. 293
	Fig. 7.—Caterpillar of HEPIALUS HUMULI, Fab		. 292
DI-4- 06	Din 1 Agenram, Derma Poles		. 286
Plate 90.	Fig. 1.—AGARISTA PALES, Bdv.	* r	
	Fig. 2.—Caterpillar and Chrysalis of AGARISTA GLYCINÆ,	Lewin.	. 286
	Fig. 3.—Coronis Leachii, Godard	•	. 287
	Fig. 4.—Castnia acreoides, Bdv.	• .	. 287
Plate 97.	Fig. 1.—THYRIS SEPULCHRALIS, Bdv.		. 289
	Fig. 2.—ÆGOCERA RECTILINEA, Bdv		. 289
	Fig. 3.—ZIGÆNA PULCHELLA, Bdv.	•	. 290
	Fig. 4.—ZIGÆNA FILIPENDULÆ, Liu	•	. 290
		•	
	Fig. 5.—Procris Nebulosa, Klug.	•	. 290
	Fig. 6.—Syntomis myodes, Bdv	•	. 290
	Fig. 7.—SYNTOMIS PHÆGEA, Fab.	•	. 290
	Fig. 8.—ATYCHIA PUMILA, Och. Lat.	•	. 290
	Fig. 9.—Caterpillar and Chrysalis of AGLAOPE INFAUSTA		. 290
	Fig. 10.—GLAUCOPIS FOLLETII, Feist.	•	. 290
	Fig. 11.—AGLAOPE AMERICANA, Bdv.	•	. 290
71 . 00	m' 1 (1 m.)	•	00
	Fig. 1.—Saturnia Bauhiniæ, Bdv.	•	. 294
	Fig. 2.—Caterpillar of SATURNIA LUNA, Fab.	•	. 294
	Fig. 3.—Chrysalis of SATURNIA PAVONIA-MINOR, Lin.		. 294
	Fig. 4.—Bombyx digramma, Bdv.	•	. 298
	Fig. 5.—Caterpillar of Bombyx Pensylvanica, Bdv.		. 295
	Fig. 6.—LASIOCAMPA PROBOSCIDEA, Bdv		. 295
Plate 98.	bis. Fig. 1.—Chelonia evidens, Bdv		. 298
, '	Fig. 2.—Caterpillar of CHELONIA NUBILIS, Bdv.		. 298
	Fig. 3.—Anatomical details of CHELONIA CHRYSORHA	ΞA	. 298
	Fig. 4.—CALLIMORPHA LECONTEI .		. 298
	Fig. 5.—DICRANOURA BOREALIS, Bdv.		. 299
	Fig. 6.—LITHOSIA LÆTA, Bdv.		. 298
	Fig. 7.—LITHOSIA LUTEOLA		. 298
	Fig. 8 —Caterpillar of LITHOSIA PULCHELLA		. 299
	Fig. 9.—PLATYPTERIX GLOBULARIÆ, Bdv.	•	. 299
	, , , , , , , , , , , , , , , , , , , ,	·	
Plate 99.	Fig. 1.—SERICARIA RANÆCEPS, Bdv.	•	. 297
	Fig. 2.—Caterpillar of SERICARIA TESSELLATA, Bdv.		297
	Fig. 3.—NOTODONTA ZICZAC, Lin.		. 297
	Fig. 4.—ORGYIA DETRITA, Bdv		. 297
	Fig. 5.—Caterpillar and Chrysalis of ORGYIA GONOSTIGM.	A. Fab.	. 297
	Fig. 6.—Limacodes delphinii, Bdv		. 2 97
	Fig. 7.—Caterpillar of LIMACODES STRIGATA, Bdv.		. 297
	Fig. 8.—Caterpillar of Limacodes indeterminata		
		•	. 297
	Fig. 9.—Psyche calvella, Ochs. Fig. 10. a, b, c, d.—Details of the Caterpillar of Psyche N	·	. 298
	rig. 10. a, o, c, a.—Details of the Oaterphia of 1 stone is	ITIDELLA	290
Plate 100.	Fig. 1.—Noctua imperator, Bdv.		. 300
rate roo.	Fig. 2.—EREBUS LIMACINA, Bdv		
	Fig. 3.—Caterpillar of Erebus Putrescens, Bdv.		. 300
		Pob	√ 300
	Fig. 4.—Caterpillar and Chrysalis of Noctua sponsa, I	au.	. 300
	Fig. 5.—Pyralis fagana, Fab	•	. 302
Plata 101	Ela 1 Duar Eve manua Napa Bdu		200
Tate 101.	Fig. 1.—PHALENA MACHAONARIA, Bdv.	•	- 303
	Fig. 2.—PHALÆNA GUTTARIA, Bdv.		. 303
	Fig. 3.—Anatomy of PHALENA FAVILLACEA, Hub.		. 303

		INSECTA.	Vol. IV.	
Plate	101.	Fig. 4.—Caterpillar of PHALENA GROSSULARIATA, Lin.		303
		Fig. 5.—HERMINIA SIDONIA, Cram.	•	. 304
		Fig. 6.—Head of HERMINIA CRASSALIS, Fab	•	. 304
		Fig. 7.—Botys dilucidalis, Bdv.		. 305
		Fig. 8.—Head of Botys cingulalis, Hub.	•	. 305
		Fig. 9.—HYDROCAMPE AQUATILIS, Bdv		. 305
		Fig. 10Caterpillar of Hydrocampe Nympheata, Lat	r,	. 306
		Fig. 11.—Aglossa dilucidalis, Bdv.		. 306
		Fig. 12.—GALLERIA CEREANA, Fab.		. 306
		Fig. 13.—Caterpillar of Galleria colonella, Hub.		. 306
		Fig. 14.—CRAMBUS RETUSALIS, Bdv.		. 307
		Fig. 15.—Anatomy of Crambus radiellus, Hub.		307
		11g. 10. Illuctomy of Chambes Radiebets, 11uo.	•	. 00,
Plate	102	Fig. 1.—Alucita asperella, Hub.		. 307
A IUIC	102.		•	. 307
		Fig. 2.—Euplocamus anthracinus, Hub. Fig. 3.—Tinba lapezana, Fab	•	. 307
			•	
		Fig. 3. a.—Head of TINEA LONGICORNIS, Curtis	•	. 308
		Fig. 4.—ILITHIA CARNEA, Latr.	•	. 308
		Fig. 4. a, b.—Anatomy of Illithia Pinguis, Curtis	•	. 308
		Fig. 5.—YPONOMEUTA PUSIELLA, Hub.	•	. 308
		Fig. 5. a, b.—Caterpillar and Chrysalis of YPONOME	UTA PLUI	1-
		BELLA, Hub.	•	. 308
		Fig. 6.—Æcophora Linneella, Clerk	•	. 308
		Fig. 6. a, b.—Caterpillar and Chrysalis of Æcophora	AAJORELL.	
		Hub.; Tinea majorella .		. 309
		Fig. 7.—Adela Degeerella, Fab.		. 309
		Fig. 8.—Pterophorus ptilodactylus, Hub.		. 309
		Fig. 8. a Head of PTEROPHORUS SPILODACTYLUS, Cur	tis	. 309
		Fig. 9.—Orneodes HEXADACTYLUS, Latr	•	. 310
		·		
Plate	103.	Fig. 1.—DIXA NEBULOSA, Meig		. 322
		Fig. 2.—CHIONEA ARANEOIDES, Dalm.		. 323
		Fig. 3.—RHYPHUS FENESTRALIS, Scop.		. 323
		Fig. 4.—PLATYURA FLAVIPES, Meig.		. 324
		Fig. 5.—Mycetobia thoracica, Guer.		325
		Fig. 6.—Simulium ornatum, Meig.	•	. 326
			•	. 326
		Fig. 7.—DILOPHUS THORACICUS, Guer. Fig. 8.—Anatomical details of BIBIO VENOSUS, Meig.	•	
		1 ig. O.—Anatomical details of Dibio venosos, meig.	•	. 326
Plate	701	Fig. 1 Courses Dears Courtie		911
1 late	104.	Fig. 1.—STYLOPS DALII, Curtis		. 311
		Fig. 2.—Anopheles bifurcatus, Lin.	•	317
		Fig. 3.—Corethra Plumicornis, Meig.	•	. 319
		Fig. 4.—Antennæ of Chironomus	3	. 319
		Fig. 5.—Psychoda palustris, Meig.	•	320
		Fig. 6.—Ctenophora festiva, Meig.	•	. 320
		Fig. 7.—Head of a TIPULA	•	. 321
		Fig. 8.—Rhipidia maculata, Meig.	4	. 321
		Fig. 9.—Limnobia ocellaris, Lin.		. 322
Plate	105.	Fig. 1.—LAPHRIA HIRTICORNIS, Guer.		. 328
		Fig. 2.—Anatomical details of LAPHRIA NIGRA, Meig.		. 328
		Fig. 3.—Ommatius conopsoides, Wied.		. 329
		Fig. 4.—Antennæ of an Asilus		. 332
		Fig. 5.—Antennæ of a Dasypogon .	•	. 329
		Fig. 6.—Hybos FLA VIPIS, Macq.		3:0
		Fig. 7.—RHAMPHOMYIA PENNATA, Macq.		. 331
		Fig. 8.—TACHYDROMYIA ARROGANS, Lin.		. 331
		Fig. 9.—PANOPS OCELLIGER, Wied.	•	. 332
		Fig. 10.—OGEODES GIBEOSUS, Meig.	•	. 332
		- B. TO. OGEODES GIDEOSCS, MICIE.	0	. 002


INSECTA.		77-1	777 D.
Plate 112. Fig. 6.—Conops Rufipes, Fab.		VOI	. IV. Page
Fig. 7 Myon, wanted Main	• ,		360
Fig. 7.—MYOPA VARIEGATA, Meig.	•	•	. 360
Fig. 8.—Stomonys calcitrans, Lin.	•	•	. 36
Plate 113. Fig. 1.—ECHYNOMYIA GROSSA, Fab.			. 363
Fig. 2.—Gymnosomia rotundata, Fab.		•	
Fig. 3.—MILTOGRAMMA, PUNCTATA, Meig.	•	•	. 364
Fig. 4.—Phasia brachyptera, Meig.		•	. 363
Fig. 5.—Lucilia mirabilis, Guer.	•	•	. 364
Fig. 6.—Calliphora vomitoria, Lin.		•	. 365
Fig. 7.—Head of Achias oculatus	•	•	. 367
Fig. 8.—LISPE TENTACULATA, Meig.		•	. 368
Fig. 9.—Anthomyla pluvialis, Lin.	•	•	. 368
		•	. 369
Fig. 10.—Ephydra rufitarsis. Marq.		TT-1	. 370
Fig. 11.—Anatomical details of EPHYDRA SPI	LOTA,	Hal.	. 370
Plate 114. Fig. 1.—THYREOPHORA CYNOPHILA, Panz.			. 371
Fig. 2.—Scatophaga stercoraria, Lin			. 372
Fig. 3:—Antennæ of a SPHÆROCERA .		•	. 372
Fig. 4.—Sapromyza brunitarsis, Macq.	•	•	. 374
Fig. 5.—Oscinis hypostigma, Meig.	•	•	. 374
Fig. 6.—Sepedon sphegeus, Fab.	•	•	. 375
Fig. 7.—CALOBATA RUFICEPS, Guer.		•	376
Fig. 8.—Diopsis fasciatus, Guer.	•	· · · · ·	. 377
Fig. 9.—Diopsis atricapillus, Guer.	•	•	
Fig. 10.—Anatomical details of Sepsis Annul	TDEC	Maior	. 377
	ires,	mreig.	
Fig. 11.—Tephritis obliqua, Guer.	•	Woh.	. 378
Fig. 12.—Anatomical details of TEPHRITIS CO.	KNUTA	, rau.	. 378
Plate 115. Fig. 1.—PLATYSTOMA LÆTA, Guer			. 379
Fig. 2.—CELYPHUS OBTECTUS, Dalm.			. 379
Fig. 3.—Phora abdominalis, Pall.			. 380
Fig. 4.—Anatomical details of Hyppobosca E	OUINA.	Lin.	. 384
Fig. 5.—Ornithomyla chilensis, Guer.			. 384
Fig. 6.—Anapera tangerii, Guer.		· ·	. 384
Fig. 7.—Stenopteryx hirundinis, Leach		٠.	. 384
Fig. 8.— Melophagus ovinus, Lin.	•	•	. 384
Fig. 9.—Nycterybia Westwoodii, Guer.		•	385
Fig. 10.—Anatomical details of Nycterybia S	SYKESI	T. West.	
16. 10 Allacomical document of 112 of 2011		,	
-efe@eto-			
-efe@efe-			
ZOOPHYTES.			
ZOOPHYTES.		Vol.	IV. Page
Plate 1. Fig. 1.—Asterias aurantiaca, Lin.			. 392
Fig. 2.—Comatula carinata, Lam.			. 393
,			. 500
Plate 2. Fig. 1.—ECHINUS ESCULENTUS, Lin.			. 395
Figs. 2, 3.—FLORICEPS SACCATA, Cuv.* .			. 419
Fig. 4.—Stephanomia uvaria, Les.			. 429
,			


^{*} An extraordinary species of Floriceps found in the liver of the Diodon Mola. It is enveloped in a membranous sac (fig. 2), which appears to be connected in some way with its body, and to enjoy the faculty of voluntary contractions. Fig. 3.—The sac opened and the animal exposed.

	TABLE OF THE PLATES.		xxxi
	ZOOPHYTES.	Vol. IV.	Paga
Plate 3.	Fig. 1.—ECHINUS VERTICILLATUS, Lam.		395
	Fig. 2.—Echinoneus semilunaris, Lam.		396
	Fig. 3.—GALERITES SEXFASCIATUS, Lam.		397
	Fig. 4.—Scutella Hexapora, Lam.; Echinus hexaporus,	Seb.	. 397
	Fig. 5.—FIBULARIA OVULUM, Lam.		. 398
	Fig. 6.—Spatangus pilosus, Val.		398
Plata 4	Fig. 1.—HOLOTHURIA PHANTOPUS, Lin. Müll.		200
rate 4.	Fig. 2.—Holothuria squamata, Müll. Cuv.		399
	Fig. 3.—Holothuria Elegans, Müll. Cuv		400
	Fig. 4.—Holothuria fusus, Müll		400
	Fig. 5.—HOLOTHURIA CUCUMER, Risso		400
	Fig. 6.—Holothuria Edouari, Less		400
	Fig. 7.—Holothuria Edulis, Less.		4 00
Dioto 5	Fig. 1 Many to Curry Chy		401
riate J.	Fig. 1.—MINYAS CYANEA, CUV. Fig. 2.—PRIAPULA CAUDATA, Lam.; Holothuria priapus, l	Mail	401
	Fig. 3.—Siponculus Edulis, Cuv. Pallas		401
	Fig. 4.—Siponculus tigrinus, Risso		402
	, , , , , , , , , , , , , , , , , , , ,		102
Plate 6.	Fig. 1.—Bonklia viridis, Rol.		402
	Fig. 2 — THALASSEMA NEPTUNI, Gert.; Lumbricus thalasser	na, Pallas	403
	Fig. 3.—Echiurus Pallasii, Cuv.; Lumbricus Echiurus, C		
	Fig. 4.—Sternaspis thalassemoides, Otto	•	403
Plate 7.	Fig. 1.—FILARIA MEDINENSIS, Gm		405
	Fig. 2.—TRICHOCEPHALUS DISPAR, Rud.		405
	Fig. 3.—OXYURUS CURVULA, Rud		406
	Fig. 4.—Cucullanus rlegans, Rud		406
	Fig. 5.—Ophiostoma sphærocephala, Rud.		406
	Fig. 6.—Ascaris lumbricoides, Lin		407
Plata 8	Fig. 1.—Strongylus gigas, Rud		407
I face o.	Fig. 2.—Spiropterus storngulinus, Rud.		407
	Fig. 3.—Physalopterus clausus, Rud.		408
	Fig. 4.—LIORHYNCHUS DENTICULATUS, Rud.		408
	Fig. 5.—LINGUATULA TÆNIOIDES, Rud		409
	Fig. 6.—LINGUATULA CUVIERII		409
	Fig. 7.—PRIONODERMA ASCAROIDES, Rud.; Cucullanus a	ascaroides	,
	Gœtz		409
Plate 9	Fig. 1.—LERNÆA BRANCHIALIS, Lin		400
I late J.	Fig. 2.—LERNÆA MULTICORNIS, Cuv.	• •	409
	Fig. 3.—Penella filosa, Gmel.		410
	Fig. 4 SPHYRION LÆVIGATUS, Cuv. Quoy, and Gaym		410
	Fig. 5.—ANCHORELLA LAGENULA, Cuv		410
	Fig. 6.—Brachiella THYNNI, Cuv.		. 410
	Fig. 7.—CLAVELLA HIPPOGLOSSI, Cuv.		411
	Fig. 8.—Condracanthus Triglæ, Cuv.		411
	Fig. 9.—Condracanthus zei, Laroche		411
	Fig. 10.—Condracanthus xyphiæ, Cuv		411
	- 16 - 11 - 11 - 10 - 10 - 10 - 10 - 10	•	411
Plate 10	Fig. 1.—Echinorhynchus Gigas, Gm		413
	Fig. 2.—H.ERUCA MURIS, Gm.		413
	Fig. 3.—Amphistoma Longicollis, Bl.		414
	Fig. 4.—CARYOPHYLLÆUS MULABILIS, Bl.		414
	Fig. 5.—Monostoma, Bl		414
	Fig. 6.—Fasciola hepatica, Lin.		414

ZOOPHYTES.	Vol.	IV. Page
Plate 10. Fig. 7.—Polystoma integerrimum, Rud.		. 415
Fig. 8.—POLYSTOMA PINGUICOLA, Rud.		. 41
Fig. 9.—Cyclocotyles Bellones, Otto.		. 415
Fig. 10.—Tristoma coccineum	•	. 415
Plate 11. Fig. 1.—HECTOCOTILE OCTOPODIS, Cuv.		. 416
Fig. 2.—Aspidogaster conchicola, Bær.	•	. 416
Fig. 3.—Planaria aurantiaca, Risso	•	. 417
Fig. 4.—Planaria cornuta, Müll.	•	. 417
Fig. 5.—Planaria lactra, Müll.	•	
Fig. 6.—Prostoma clypsinoides, Duges	•	. 417
Fig. 7.—Derostoma notops, Duges	Č	
Fig. 8.—Vertumnus thethidicola, Otto	•	. 417 . 417
tig. 0. — VERTOMNOS IMETHIBICOLA, OLLO	•	. 417
Plate 12. Fig. 1.—Tænia lata, Rud. Cuv.		. 418
Fig. 2.—Tænia solium, Lin. Cuv.		. 418
Fig. 3.—Head of Bothryocephalus coronatus, Bl.		. 418
Fig. 4.— DIBOTHRYORHYNCHUS LEPIDOPII, Bl.	•	. 419
Tr 10 Tr. 1 Tr		
Plate 13. Fig. 1.—FLORICEPS COROLLATUS, Cuv.		. 419
Fig. 2.—Tetrarhynchus lingualis, Cuv.	•	. 419
Fig. 3.—Tentacularia Boscii, Cuv.		. 419
Fig. 4.—Cysticercus pisciformis, Lin.	. ,	. 418
Fig. 5.—Cysticercus finna, Blum.		. 419
Fig. 6.—Acrostoma amnii, Lesauv.	•	. 420
Fig. 7.—Cænurus cerebralis, Gm.		. 420
Fig. 8.—Echinococcus .		. 420
Fig. 9.—Ligula simplicissima, Bloch .	•	. 420
Plate 14. Fig. 1.—Pelagia panopyra, Peron .		. 423
Fig. 2.—CYANÆA LABICHE, Quoy and Gaym.	•	. 423
Fig. 3.—Equorea cyanogramma, Quoy and Gaym.	•	. 422
rig. o.—Ligotala transdamma, guoy and dayin.	•	. 144
Plate 15. Fig. 1.—RHIZOSTOMA ALDROVANDI, Risso. Taken from	n a dra	wing
of M. Laurillard .		. 423
Fig. 2.—Cassiopea Borbonica, Delle Chiaie .		. 424
Dieta 16 Ein 1 Ennymen numeron Deuts		. 424
Plate 16. Fig. 1.—Berenice Eurisochroma, Peron	•	
Fig. 2.—Geryonia proboscidalis, Forsk.	•	. 424
Fig. 3.—Cephea papuensis, Less.	•	. 424
Plate 17. Fig. 1.—Beroe Pileus. Gm		. 425
Fig. 2.—Beroe elongatus, Risso; Idya elongatus		. 426
Fig. 3.—Beroe costata, Reyn		. 426
Fig. 4.—Callianira bucephalon, Reyn		. 426
Fig. 5.—Alcinoe vermiculata, Rang.		. 426
Fig. 6.—OCYROE MACULATA, Rang.		. 426
116. o. Outlood Maddlatin, Lamb		••
Plate 18. Fig. 1.—Cestum veneris, Less		. 426
Fig. 2.—Porpita chrysocoma, Less.	•	. 427
Fig. 3.—Velella limbosa, Lam	•	. 427
Plate 10 Fig. 1 Duygarta Amranmica Less		. 428
Plate 19. Fig. 1.—Physalia Atlantica, Less. Fig. 2.—Physsophora disticha, Less.		. 428
		. 429
Fig. 3.—PHYSSOPHORA NICEA, Laur.		. 429
Fig. 4.—Hippopodius luteus, Quoy and Gaym. Fig. 5.—Rhizophyza heliantha, Quoy and Gaym.	•	429
Fig. 6.—RHIZOPHYZA HELIANTHA, Quoy and Gayin.		430


TABLE OF THE PLATES.			xxxii
ZOOPHYTES.		Vol.	IV. Page
Plate 19. Fig. 7.—CALPE PENTAGONA, Quoy and Gaym.			. 430
Fig. 8.—ABYLA TRIGONA, Quoy and Gaym.		•	. 430
Fig. 9.—CYMBA SAGITTA, Quoy and Gaym.	•	•	. 430
Fig. 10.—Cuboides vitreus, Quoy and Gaym.		•	
rig. 10.—Obboides virkeds, & doy and dayin.		•	. 430
Plate 20. Fig. 1.—ACTINIA CORALLINA, Risso .			. 432
Fig. 2.—Thalassiananthos aster, Rup.			. 432
Fig. 3.—Discosmus nummiforme, Rup.	•		. 432
Fig. 4.—Zoanthus sociatus, Cuv.			. 433
Fig. 5.—Lucernaria campanula, Lamouroux	•		. 433
Plate 21. Fig. 1.—Tubipora rubeola, Quoy .			400
Fig. 9. Transactor Tom		•	. 436
Fig. 2.—Tubularia indivisa, Lam.	•		. 436
Fig. 3.—Sertularia tamarindus, Ellis .		•	. 438
Fig. 4.—EUCRATEA CORNUTA, Ellis .	•		. 439
Fig. 5.—Flustra Aragoi, Exp. d'Eg.		•	. 439
Fig. 6.—Cellepora pumicosa, Ellis .	•		. 440
Fig. 7.—Tubulipora tubulosa, Gm.			. 440
Fig. 8.—Corallina officinalis, Lin.			. 440
Fig. 9.—FLABELLARIA OPUNTIA, Ellis; Corallin	a opur	ntia	. 441
Fig. 10.—ACETABULUM MEDITERRANEUM, Cav			
acetabulum, Gm.			. 442
Fig. 11.—Polyphysa aspergillum. Lamourous		•	. 442
2.5. II.—I OLIFRISA ASPERGIBBOM. Damourou.		•	. 112
Plate 22. Fig. 1.—HYDRA VIRIDIS, Trembl. Cuv.			. 434
Fig. 2. Hypp	•	•	. 434
Fig. 2.—Hydra fusca, Trembl. Cuv.		•	
Fig. 3.—Coryna multicornis, Forsk. Cuv.	•	•	. 434
Fig. 4.—Cristatella mucedo, Cuv.	ת נ	•	. 434
Fig. 5.—Vorticella opercularis, Bory, Ræsel	ie Kos	i	. 435
Fig. 6.—Pedicellaria Tridens, Müll. Cuv.		•	. 435
Plate 23. Fig. 1.—Antipathes Myriophylla, Ellis and Sol			. 443
Fig. 2.—Gorgonia verrucosa, Cavolini			443
Fig. 3.—Eunicea mammosa, Lamouroux		•	. 444
Ti- 4 C Camalini	•	•	. 444
		•	. 445
Fig. 5.—Isis HIPPURIS, Ellis and Sol.	•	•	. 445
Fig. 6.—Fungia crassitentaculata, Quoy		•	
Fig. 7.—Turbinolia Rubra, Quoy	•	•	. 445
Fig. 8.—Caryophyllia fasciculata. Lam.		•	. 445
Fig. 9.—Astrea calicularis, Lam.		•	. 446
Fig. 10.—MADREPORA ABROTANOIDES, Lam.		•	. 446
Fig. 11.—MILLEPORA ALCICORNIS, Pall.	•	•	. 447
Plate 24. Fig. 1.—PENNATULA GRISEA, Gm			. 448
		•	
Fig. 2.—Virgularia juncea, Pall. Fig. 3.—A fragment of Virgularia mirabilis, M	::11	•	. 448
	un.	•	. 448
Fig. 4.—RENILLA VIOLACEA, QUOY	•	•	. 449
Fig. 5.—Umbellularia encrinus, Ellis		•	. 449
Fig. 6.—Alcyonium aurantiacum, Quoy Fig. 7.—A large fragmeut of Alcyonium ramosum			. 449
rig. 7.—A large fragment of Alcyonium RAMOSUM	, Quo	У	. 450
Fig. 8.—THETHYUM LYNCURIUM, Marsigli	•	•	. 450
Fig. 9.—Spongia oculata, Pall			. 450
Fig. 10.—Spongia manus, Bl.	•		. 450






Organs of Autrition in Insects.






Organs of Nutrition in Insects





Organs of Nutrition in Insects.






Organs of Marition in Insects


London a Handerson Cld Bales






Organs of Generation in Insects.





1 Therates busilis Aliv 2 Anatomical details of the Megacephala carolina Late 3 Teycondyl., aptera Late 4. Clenostoma ichneumoneum Itéj. 5. Collinvia medestu. Itéj. 6. Manticova maxillesa. Late 7. Cirindola temipes, bair. 8. Hend of the Osycheila tristis Itéj.






1 Mouth of the Authin to guitata bate 2 Graphipterus multiquitatus, Late 3, Casuonia senegalensis, 8 Faug. 8 Serv. 4 Brachinus Jurinei Dej. 5, Trichognathus marginatus Late. 6 Mouth & Tursusof the Galexiva nucericam. Late. 7 Head & locselet of the Laphium cleus. Late. 8 Helluo costutus. Late. 9 Drapta vaficollis, Dej. 10 Ağra sylendida Late. 41 Jochin flavonmendatu baier.




Inscota Pl. 8



2 Pamborus alternano. 1 Onitis subflavus. 6 Helluo costatus.

7 Lanua venosa . London littenderson 2.0ld Bailey .






1 Coliath barbicorns (The Horned Goliath) 3 Lucamus serricorms (The servated Lucanus) 5 Huspa Marginala (The Marginaled Chesnut Fly | 6 Heleus perforata The perforated Helieus of New Holland)


4 Cetonia bicornis (The two horned Cetonia)





Organs of Generation in Insects.






Organs of Generation in Insects


Tenden, 6 Funderses 2, cut Bulley






Organis of Generation in Insects







l-Siagona Europea, Bej. 2. Oxystomus Sancti-Hilavii, Lat. 3. Scaptorus Guerini Bej. 4. faceladus gi gas Ron. 5. Apotomus rufus, Late. 6. Hinder foot of the Dischivins thoracine, Late. 7. Maria sumplex. Dej. 8 Aconthocelis infecriis, lat 9 Antenna of the Orasun Rogerii, Dej. 10, Intomus violaceus, late 11 Alead of the Ditowns calydonins, batt. 12. Cyclose was flexuosus, batt.





1 Harpains trivolor, liner. 2. Trigonotoma viridicollis, Dej. 3. Elytra of the Vernina navarica, batr. 1 Elytra & Tursus of the Ferencia melanaria Lat 5 Cephalotes rufipes Lat 6 Hinder Tursus of the Patrobus ruppes male 7 Mormolyce phyllodes that 8 thinder foot & Jaw of the labous gildins Lat. 9. Internar of the Sphodrus terricola Lat. 10 Hinder foot of the Fevenia hottentota Lat. II Hinder Tarsuc & foot of the Lacrons agricula male, 12. Head of the Lovicera julicornis, late, 13 Centhin above aides Lat 11 Panagorus fulgipeunis Lat 15 Omophron saturalis muer







1. Spharoderus nitidicellis Chevrel. 2. Calusoma rutipenne. Dej. 3. Cychrus italicus, Benelli. 1 Pam borus alternaus, Lat. 5. Head of the Pogonophorus. 6. Hinder Tursus of the Pelophika. 7. Carahus rati lans Lat. 8. Pelecium gyanipes, kirki. 9. Masorans hwatns, Dej. 10. Palpi of the principal Bembidion.




Insecta. Pl. 16.



Liberseus Lherminiers Cheve ? Dytrseus serveurms Bok. 3. Hunder loot of the Colymbetes. 4. Hunder feet of the Hydroporus planus Intr. 5. Hygrobia Hermanni Intr. 6. Notevus erassicovius Chairo. 7. Halip




Insecta. P.




United as the minieri there 3 Dytiscus servicernis, Pork 3 Hunder Toot of the Colymbetes. A Hinder foot of the Hydroporus planus, Late, 5. Hygrobia Hermanni Late, 6. Notevas crassicornis Unica, 7 Halip lus clevatas, 8 Gyvnius sulcatus, Dej.






Organs of Generation in Insects

Bridge Santain Wall & Burge






Organs of Generation in Insects.




Insecta Pt. 19.



1.0xyporus rufus, km ? Head of the Astroporus almineus (lhv 3 Staphylinus tataricus, lisa 1 Lathrobium elengatum km, 5.Paedevus ruficellis Fals 6 Prociveus lefeluri, kat. 7. Head of the Evaesthetus 8.Sterius legitlatus km 9 Anterior Tassus of the Stilicus 10 Oxytelius arecums Fals II-O sovius brasiliensis (mer. 10 Avrophovus striatus, louch.






1 Mead of the Prognatha ratipenne, Int. 2 Coprophilus rugosus, Gene. 3. Lesteva dichrea, Intr. 1 Micropeplus madhei, hej. 5. Alcochara canahenhata, Ink. 6. Lonnechusa pacadessa, Grav.

7 Omalium blattoides forc. 8. Tachinus atricapillus Fab. 9. Tachipovius marginatus bear






1 Buprestris hielar Lat 2 Indany of the Buprestris gigas Fab. 3. Buprestris rubripenius iner.

1 Buprestris Lalandii lane 3 Aphanisticus enniginatus Lat. 6 Teachys eraentata Fab.


7 Melasis hapresteide, Oliv.





L'Encuentre capucinus Man. 2 Pterotare us histrie bute 3 Anatemical desarts of the Galba marmoratic bue. 1 Adelocera chalannic bue. 5 Bach deves infecellis bue. 6 Cerophytom dateroides bet. 7 Theoseus dermestandes but. 8 Chelonarum undatumbute. 9 Ceroptostoms distilienties bate. 10 Houd. & correlet of the Lobarderus monitientims bue. UNematodes filmis Late 12 Mend of the Heuntrhapus flebellicorus bate. 13 Antenna of the Chenvera hematodes but 11 Elatory business bern. 15 Campy his Anticellis bisches. 16 Interna of the Phyllocerus flaviponnis lles.






I Physodactylus Renningii Fisch. 2. Cebrio fuscus, bory, 3. Antenno of the Cebrio gigus, fem. A. Antenno of the Anchastes Bruni Kirby. 5. Callichapis, boryi, burin. 6. Anatomical details of the Gallichapis Bejennii Lutr. 7. Rhipoven cyanea, buer. 8. Antenno of the Rhipiceya fem. 9. Pálodactyla claterina Illig. 10. Elados pallidus, Lat Al. Hinder fuot of the Seyrtes, 12. Eubria palustris, berm.




Insecta. Pl. 24.




Livens latissimus, Fab. 2. Head of the Dictyoptera sanguinea, bute. 3. Antenna of the Omalisus saturalis, beoff 1. Dealus flowescens, female, 5. male of the same species as fig. four. 6. Dealus rejicellis, Dej. 7. Lamperis, Savig ari biely, 8. Interna of the Angeletes lloff: 9. Anatomical details of the Chalopherus raficellis, buer. 10. Silus tricolor biar II. Malthams biguttatus, Obe. 12. Anatomical details of the Cardelocera antennata, buer




Insecta.P1.25.




1. Malachius ruficellis, Fab. 2. Das ytes irifasciatus, buer. 3. Ivgua oblongu. 1. 4. Melyvis viridis 5. Melyvis abdominalis, F. 6. Pelecophova nigredinatu, buer. 7. Cylulrus Buquetii, buer. 8. Tillus rubricellis, buer. 9. Tillus mufusciatus, F. 10. Peineeva, 41. Axiama. 42. Eurypus. 43. Thanas iums bumbyeinus, ther 44. Thanas iums, fernicacius, F. 45. Opilo. 46. Clevus, d'hrierii, there 47. Clevus divernus, F. 48. Neerabiu violateca, L. 49. Nevyobu varteellis, F. 20. Emplium viridipenue, hirby.






I. Prinns italicus, there. 2. Pitilinns serraticoruis, the 3. Xyletinns palleus ster. 3. h.a.c. Anatomical details of the Xyletinns pertinatus lab. 4. Orbina samminicallis Teal. 5. Downstoma rubens there 6. Gibbium scetius the. 7. Anatomical details of the Anabum pertinar L. 8. Atractneerus nicloreheides, buer. 9. Hylocoetus Javains, there 10. Asmexylon navide this 41. Cupes capitatus F. 12. Physodes cestatus the:






1 Mastigus fuscus klng, 2 Seydanoams helwegii Nav. Iat. 3 Amateurical details of the Seydanoams hirticellis iyl. 1 Hololoptu 4 details (5 Mister mandibularic ther. 6 Amateurical details of the Histor 4 maculatus 1, 7. Splicocites alubratus F. 8. Necvophorus maritimus Eschech. 9. Necvaphorus germanicus, 1, 10. Silpha granigera there. 11. Necvados litteralis, 1, 12. Necvophilus hydrophilaides, Eschech. 13. Agertes Astaneus F. 11. Scaphidium nigripes, there. 15. Scaphidium 4 maculatum, ellic.






LColobicus marginatus, Lat. 2. Thymalus marginicallis, Chev. 3. Austemical details of the Thimalus limbatus, P. 4. Ips facciata Cliv. 5. Austemical details of the Ips. 1 panetata Mechst. 6. Nitidula peruvina lower. 7. Austronical details of the Nitidula imperialis F. 8. Cercus publicarius, Lat. 9. Dyburus termen tesus, F. 10. Dacue femeralis Chevr. II. Cryptophagus nigripennis, Payk, 12. Austemical details of the Cryptophagus pepuli Payk.






I Aspidiphorus orbiculatus byl. 2. Derme stes carnivarus Eab. 3. Megatoma umlata Lat. A. Anatomical details of the Megatoma trifusciatus E. 5. Attagenus serra E. 6. Authreums capensis E. T. Anatomical details of the Nosodendron fuscivalare U. 8. Byrrhus alpinus bore. 9. Anatomical details of the Byrrhus Bornis Eich. 10. Trinodes hirtus E. H. Metercoerus marginatus Eab. 12. Find of the Byrrhus concolor. Surm.






I Patamorphilus orientalis boyr 2 Dryups prelifericernis Ede 3 Anatemical details of the Elmis Volchmari. But. I Macronyethus 4 tubervalutus Mat. 5 Geurissus psymens (ed. 6 Etophorus mobilus Ede 7 Anatemical details of the Eluphorus femicus Piyle 8, Antenne of the Hydrochus elemants, Ede 9 Pelpir of the Ochthebius bykerniens intel 10 Anatemical details of the Hydrochus substances, int. II Sperchorus substance, Ede 13 Clubaria mitila bur. I Hydrophilus spinipennis boy. 15 Sphoridium dimidiatum boyr.






Petroches dayptionum Law 2 Anas miral details of the Atenchus succe Law 3 Circolliana homisphericum Law 3 Coprobins verdes late 5 Encysternus fiedes wire 6 Ontople gas races law is do domiced details of the Ontoplegus vaccaslate 8 Phoneus imperates in 1997 9 Onitivellas from usus there. 10 Copris hellator there. Il Aphodaus layoutstas 1998.






Organs of Motion in Inscots.






1 Orvetos Chevrolatii buir. 4. Ağacephula furenta buir. 3. Searabæus menter, buir. 1. Juatemical details of the Searabæus gederm. Falu. 5. Plalenrus eribentus Chev. 6. Hexadon veticulatus, Olivier. 7. Cyclocephala frontalis, Chevr. 8. Juntunical details of the Cyclocephala geminatic Falv.






1 Lencothyreus uitidicallis, 6nic 2 Anatomical details of the Anoplognathus batreillei Sch. 3. Geni ates burbutus bürby. 1 Apogonin gemellutus bürby. 5. Melolouthu flavida tievy. 6 Autenus of the Melolouthu vulgaris es. 7. Internae of the Bhisotrogus pini buty. 8. Cevaspis decara biry. 9. Inatomice cal details of the Cevaspis idhala serv. 10 Arcada birbii Mac Leav. II. Sevica flavimana biry. 12. Inatomical details of the Sexica vurrabilis. but. 13. Dydacephala farcata bire. 14. Macradaetyslus saturalis. Chev.






1 Pleetris tementesa kep & Serv. 2. Popilia nitidicellis, bory. 3. Anisoplia saturalis, barv.
1. Euchlova viridana barv. 5. kepisia rapicala, Serv. 6. Dierania velatina, borv.
7. Hoplia farinesa, Falv. 8. Dichelus dentipes, Serv.







LGlaphyrus rufipennis, bory. 2 Amphicama handydifornis, Pall. 3 Anatomical details of the Amphicama basserii, 4 Anthipus abdominalis, Esch. 5 Chosmopterus hartulus, Allig. 6 Pachyenemus crassipes Serv. 7. kepitrix alibreviatus, Serv. 8 Manachelus, gonager, Serv. 9 Anisanyus, nasua Nied.






1 Cremastocheshis hietus, boys & Perch, menogy. 2 Anatomical details of the Cremastocheilus elungatus. Oliv 3. Trichins zebra. Oliv A Anatomical details of the Trichins fasciatus F 5 Goli ath micaus, 6. & P. Mir. 6 Platygenia inivien Mack Leav. 7. Cetonia Havii, le & P. 8 Anatomical details of the Cetonia aurata E. 9. Gymnetis nervosa, 6 &P 10. Macronota wąvegia 6 &P






1. Sinodendron cylindricum 4. Fab. 2.06 salus seavabacides Fab. 3. Lucanus ciunememens, bur.
1. Platycerus un culatus buy. 5. Lamprima acmelatr. 6. Pholidotus Ilumboldii Sch. 7. Passalus pentuphyllus. Palis Iluw. 8. Anatomicul detuits by the Passalus interruptus. Fab.







1. Fimelia vestitu, borg. 2. Anatomical details of the Pimelia serieva, 3. Evodius gibbus, Fabr. 4. boplosis testudinarius, Oliv. 5. Nyctolia buezetti, Obert. 5. e.d. Anatomical details of the Nyctolia brumipes bate. 6. Hegeter tagenraides, bory. 7. Tentyvia panetipennis befebre. 8. Akis boryibur. 9. Elenophovus americanus, bacerd. 10. Eurychova rugosula buer. W. Anatomical details of the Eurychova ciliata. 12. Adelostoma rugosa bory.







I Tagenia *ocientalis, bore.* ? Psammeticus *castatus, buér.* 3 Scauens *tugosus late.* 1. Scotobius *granovus, lacerd.* 5 Sepidium *vestitumi, berv.* 6 Teachynotus *villatus, late.* 7 Moluris *Interpres, lacer.*






I Owen setusu kube. 2 Acanthomera grantla bair therbot. 3 Misokampus thefinanseque bair. 1 Blaps martisaga bair. 5 Menth & Internar of the Blaps sententu bab. 6 Gompus tehialis, kair. 7 Ammahpes dentiques, kair bab. 8 birselet of the Machla villevas flerbot. 9 Scotinus brasiliensis bay 10 Month & Internac of the Asyda bevignte bab. 11 Tarsus & Internar of the Opatrimus edia trains. Bej. 12 Tarsus of the Beliophalus hispaniens bej. 13 Pedaws gibbous boy. I I hat amend details of the Bapstinus punctatus. Sch. 15 Platyscelis mores brech.






L. Cryptions gibbulus, Sch. 2,0 patrum changalum buég. 3. Cortions relitis been. 4. Anatomical details of the Orthocorns matiens lat. 5. Chroscolis hifenestratu, kum. 6. Toxioum curvicerne. Cher. 7. Boros theracious, byl. 8. Calcor changatus, Bakst. 9. Uprs commbaides, Eab. 10. Anatomical details of the Fenchia meditar, km. 11. Hotorotarsus tenderialises, buér. 12. Tenchria absenus, Eab.






1 Durperis hipustuluta, Beal, Lap. 2 Hyppophlaeus castaneus, Fah. 3 Teachysceles admidienles. Lat. 4 Lécodes ciunumeneu, Pauz. 5 Tetratoura françenne Fah. 6 Eledona cerruita, Fab. 7. Cossyphus meniliferus, there. 8 Nitio lanatus berm. 9 Epitragus lineatus, there. 40 Condalon atrum, there. 41 Spheniscus pactus, there.






1. Amarygmus enprimes, Esch. 2. Splacrotus enveipes, Richy. 3. Helops saturalis, tierm. 4. An atencical details of the Helops Innipes, F. 5. Loona pimelia, F. 6. Stenotyachelus aneus Lat. 7. Strongylium servaticerne, Chevr. 8. Pitho depressus, F. 9. Cistelu servata, ther. 10. Halloinenus lumeralis, Latr. 11. Anatemical details of the Ovelosia niveaus, Latr.





1 Dire and discolor. Fab. 2. Melandrya rufipes, Cheer. 3 Secrepalpus Striatus, Late. 1. Canopalpus flavicelle, ligt. 5. Calopus servativornis, F. 6. Dytilus lavis Fisch, 7. Edemera podagrarie. Fab. 8. Stenostania rostratune Charp. 9. Myeterus pulvevulentus Chevr. 10, Head of the Phinamacev attelaboides. F. H. Rhinosimus raficellis F.






1. Lagringigas buer 2. Stativa carabeides, buer 3. Perocheon ecceinea Fab. 4. Ripiphoros rufigennis, there 5. Myodites aniericenus, buer. 6. Pelecotomo Frivaldyskii, Starni.

7. Mordella pieta flevr. 8. Secaptio dubia the 9. Notoxus fusciatus theer.


10. Cissites testaccus, Lati





1. Internar of the Cerawama Schriftere Lin. 2. Hycheus we include a clear 3. Internar of the Arthuman reprinted in Their 1. Mylabris inverse there 3. Internar of the Constraint F. 4. Melan is size of the T-Internated details of the Melan beneficially Rine 8. Tetranova viatibles down 0. Internated details of the Conflorus vesselectria. If January particular their 12. Juntanical details of the Neurographia chrysmichia. F. 13. Leptopalpus Theoral Steep 11. International Travelle there 13. Situates Innovalis Eth.







Reachus marginellus, Falir. 2. Rhachus teelleri, Fisch. 3. Autherhus Garnetic üseem.

† Attelahus fulcatus Guer. 5. Rhinotia harmoptera, Kirly. 6. Eurhums cenicus Gus.

† Brentus italieus, kai. 8. Coocephalus furcillatus, Sch. 9. Internar of the Placerus cinereus, 2st.


10. Cylas longicollis. Cheer.






1. Benchweerus centatus Chere. 2. Cyclomus cermatus, 3ch. 3. Cyplus illustris, Chere. 1 Cyplus dives? Mig. 5. Leptocerus macilentus Cher. 6. Pachyrlymchus profinus, Esch. 7. synygops cyclops, 3ch. 8. Rhyta chien; informus Chere. 9. Chem. guitaus Chere. 10 Lixux villager Godet A Shouth of die Chlorophanus vierdie Sch






L'Lormosaceus ehevrolatii liner. 2. Bagons hinodosus lell. 3. Brachanyux indiqena lell. 1. Balaninus nucum, hin. 5. Heilipus peplus Sch. 6. Alcides prenstus, liner. 7. Myorhinus albolineatus. 8. Cionis pulverosus, Parers. 9. Tachygonus horridus (herr.





1 tholus There juscialus, there. 2. Camptor hyuchus flattuaeius, term. 3. Centrinus survivesteis there. 1. Zygob's rahviedlis, there. 5. Centorhynchus sii, there. 6. Hydations camarii seh. 7. Durymerus altus, term. 8. Mecopus trilineatus, there. 9. Gargus hurpum sus there. 40. Telodo's ptinioides, tyl






1 Anchanus suillus, Fab 2 Rhina barbirostris Fab 3 Calmidea Guerini Cher 1 Calam den tuitense fuer. 5 Relorhynns wentus fuer 6 Cererdocevus ingrelaterairs trees. 7. Cossonus ophippiger buer. 8 Devophtorus lyntevilon Fabr

9. Trigonotars us calandroides liner


1. m. 1. m. 1. 72 ... 1 .






1. Scolytus flavicornis, they. 2. Antenna of the Hylmegus pimperda. 3. Antenna of the Camptoc evus ancipennis, et. 4. Phoiotxibus olea, Lat. 5. Antenna of the Tomicus bispimis Moy. 6. Phytypus Boyd 600: 7. Month of the Platypus cylindrus, Fib. 8. Paus sus curvecornis, they. 9. Paus sus uncrecephalus. 10. Indumical details of the Paus sus microecephalus. 8. Paus sus pentuplatarthrus. 11. Platychopalus Mellei, West. 12. Internae of the Comptecus latipus, West. 13. Bostrichus Imparii, Lat. 44. Cis inaquideus, they. 15. Nemosoma elongatum, L. 16. Synchita undata, bucc. Theis






1 (nenjus mandibularis, hory. 2 Anatomical details of the Unenjus depressus. Fab. 3. Bron for spinicallis, hory. 4 Anatomical details of the Brontes flavipes Fab. 5. Dendrophagus crenatus. Popl. 6. Spondylus haprestoides, Fab. 7. Purandra lineela hory. 8. Prionus Des marestu, ther. 9. Amerikas sanguinens, Serv. 10. Prionapterus staphilinus hoer.






Lixametres uniferciatus bory. 2. Megaderus stiquia. Edb. 3. Inchyderves nigrotissiatus bory. Indianical detuits of the Trachyderves succinetus Edb. 3. Explanacerus birbicarus. eth. 6. Elbebrana speciasa bory. 7. Acouthopterus tripunctatus bory. 8. Instensival detuits. ethe canthypterus budensis bors. 9. Intensival the Cerambey beres Edb. 10. Indianical detuits of the rambeys calledwan hemipterus tha







Cerambyx rappennis top 2 Cerambyx speculific view 3 (country interes else LCal alama membererum Liegler & Cortallam infreelle Eth 6 Obrama berngmenni Lih TRhandengas seemens beer 8. Necydah's maner Lin 9. Stemopterus ele jans ling






1 Acrocran's trochlear is bory. 2 Lamia aurocineta, bory. 3. Tetraopes dinidiata, bory. 4. Saper da allicans buer, 5. Anatomical details of the Saperda atkinsoni turtis. 6. Antenner of the Distichovera maculicollections 7 Transastorms binomilatus tiner 8 Tragororus hidentatus Donov. 9 Leptocora tillineatus bory.






1. Desmocerus cyaneus Fab. 2. Vesperus geneus bier. 3. Rhag um bizar ision Rhammusium sulicis L.b. 5. Toxotus vieridianus Fab 6 Pachyts kaj itu isia 4 Steinderus ceramboules hilly. 8. Lepturo annulata very






I. Megadopus mufasciatus, "Gore 2. Sogra cyanen, Ilaliu, 3. Anatonical detriks of the Sogra splandidos." F.Orsankaena vielacea, Cheve. 5. Psiannivelms hymnetutus. F. Bondier. G. Domecio fenarea Gell. 7. Anatomical details of the Domecio sagittaria. Fab. 8. Hinder Tarans of the Harmanya vasterie. Gell. 9. Petaives tes ensages Oliv 10 Criocecis Ilargens, tiner. Il Anchen'in betale, Fab. 12. Megascelis perseina Obser.





1 Marrans carallinus Vigors 2 Oxycephala carnigera bair. 3 Arspa Fahricii, bair. 4 Anatomy of the fool of the Chalepus spinipee Ed. 5 Cassida ((yelosoma sheer) longicarnis Ed. 6 Anatomical danile of the Cassida discors Fahr. 1 Internae of the Cryptacephalas speciesus bairs by Inpercept. 8 Clythra Percheron, 6 vy. 9 Chlamys capres Edgy. 10 Lamposama cornisca bey. Il Choragus shoppardi Kirdy, anthr pymucus Kobet. May Ind. II. Europe y micridata (lla U Eurolpus graneus kib.






I Colaspis illustris. Cherr. 2. Podontia affinis, Germ. 3. Phyllochavis bicureta bier. 4. Phyllochavis splendens, buer. 5 Doryphura multipunctula there. 6 Palpe of the Dayphura admen. there. 7. Parapsis & lineata here. 8. Timarcha baleariea here. 9 Chrysannela humeratischere. 10. Calput of the Chrysamela samminalenta. I. Phadan eranopterus buer

12. Prasocuris hameveriana. Fala







1. Adocium hasale, buer. 2. Anatomical details of the Adovium hipmetatum, there 3. Galeruca dunidiata, buer. 4. Anatemical details of the Galeruca viburni Poyle. 5. Antenner of the Galeruca 1 maculata. L. 6. Luperus birissieir. Paux. 8. Octoganotes 4 lineatus, theor. 9. Octoganotes theracieus, bese. 10. Octoganotes figuratus, theor. U. Psylloides Anglieu, theor. 12. Dibolia herealis (heer. 13. Altica theorealati, buer.


11 Langitarsus dervalis Fab






LEvotylus bengaleusis, 6uer. 2 Avgythus surinmensis, Edir. 3. Triplax bennnipes cher. A. Internaof the Triplax nigripennis, Edi. 6. Languria africana, there. 6. Phalacheus granulatus, buer. 7. Euroov phus humatus, buer. 8. Dap sa trimaenlatu. Megeele. 9. Endonychus tihialis cher. 10. Anatomical dewils of the Lycoperdina bivistir Edir. 11. Lycoperdina lata, there. 12. Lithophilus raficellis, Dahl-







1. Coccinella furcifera, bur. 2. Anatomical details of the Coccinella veellata. Lu. 3. Cavidula litura. lib. 4. Seynums purtatus. Illig. 5. Clypeaster pusillus. lyd. 6. Metopias eureulusuvides buy. 7. Chemium. 8. Dionix, 9. Pythinus. 10. Pselaplus historia Illebyte Ill. Byxaxis Lefelyria Aube. 12. Byxaxis longiovrais. kauch. 13. Byxaxis Internator. Jule. 14. Exploetus livrii Ileuw. 15. Juntum wal details of the Euploctus names. Reich. 16. Claviger forcelatus. Mall. 17. Ptillium tesiculare. Herbst.






1 Factional Symmyhera Serv/eroccipennis Serv. 2 Anatomical details of the Forficula anricularia im 3 Blatta Pherospis Serv/picto Fals A. Anatomical details of the Blatta Physpiaea Fals. 5. Europus a lobipes, Olivier. 6 Anatomical details of the Europus a pumperata Fals. 7. Anatomical details of the Mantes religioses, kin.





Phasma annulata Sees. 2. Antenne of the Bacillus. 3 Head of the Cophocrana - Bacteria cobrosa Perch. 5 Anatomical details of the Cladoxerus rescipenius over






1. Gryllus Serveiller Suer. 2. Anatomical details of the Gryllus composities Side 3. Gryllotalpa description but (1. Anatomical details of the Gryllotalpa volgaries 5. Tridactedus fosciutus, Perch. 6. Mysmecophila accervarum Suser. 7. Locusta cyrthrosonus Emyelopedius 8. Parumora innuis Ede. 9. Acrydium tarvatum ser. 10. Anatomical details of the Acrydium magnitorium.



Insecta, Pl.65.




1. Scutellera Tives, buer. 2. Pentatoma yolofo, buer. 3. Anatomical details of the Pentatoma griseo.


Late. 4. Tessecatoma Someratii, Sere & S. Fay. 5. Phlwa cascidaides, Sere & S. Fay. 6. Corens rabiging

asus, buer, to a. Internor of the Conocerus. 6, b. Internor of the Syromastes. 7. Internor of the Pachlis.


8. Internor of the Hollymenia. 9. Anisoscelis profounce. Fab. 10. Alydus muniferenis, buer.

II. Neides tipularia, Latr







1 Hydrametra Stagnerum Lin. 2 Gerris marginalis buer. 3 Velia rivulerum Eutr. 4 Galgalus flueus buer. 5 Naucoxis Popri buer. 6 Antenna of the Sphacrodena retunduta Lap. 7. Nepa grisen buer. 8 Hanatra filifernis Ede. 9 Coxixa cubar buer. 10 Notonecta furcula Ede.




Insectit.Pl.68.




Cwada Hiardi buér, 2. Fulgova Lathburii Kulo. 3. Aphama variegata buerin. 4 Cixins pellucidus buér. 5. Mead of the Lystva lanata. F. 6. Ricama marginella buér. 7. Poccilopteva macalata buér. 8. Mead of the Flata fluccosa buér. 9. Tettigometra virescens, Lat. 10. Issus pectinipennis, buér. 11. Mead of the Issus calcuptratus E. 12. Mead of the Oriocexus legichertic buér. 13. Anotia caccinca buér. 44. Mead of the Devhe publica Fib. 15. Asivaen elavicornis Fib. 16. Ugyups Vercherenii buér. 17. Mead of the Delphax minuta. F.







I Membraets mericum, 6nir 2 Darms affinis buer 3 Boordium procunum, 6nir 4 Centrotus andwrage for 5 Anatomical details of the Centrornatus F. 6 Anatomical Actuals of the Etahon ediculatum 1 at, 7 Ledva aurita, F. 8 Cercopis Creither Serv. 9 Anatomical accusive to a Central but but from 10 Tetugoma paleholla, éner II. Psilla granstie 6nir 12 December 3 Properties for Fridanticum of the Theulini, F. 15 Aphis reserv. 16 Health auritalistico. 47 Coccus accused for Properties and for the Concus accused.






hethala indica. Fabr. 2. Nemplus of the Libellala depressa. Lin. 3. Hinder claws of the Eshace Type 1. Agricon chinensis law. Esh. 5. Hinder claws of the Agricon virgo. Eds. 6. Nymphus and temical details of the Agricon puella. Lin. 7. Ephemeen limitata. Serv. 8. Larva of the Epheme. Scalina. Lin. 9. Ephemeen bioculata. Eabr.






1. Nemoptera extensa . Oliv. / halterata Fab./ 2. Bittacus tipularius. Latr.


^{3.} Anatomical details of the Panorpa communistin. 4. Boreus hieralistin.







Organs of Motion in Insects.





1 Myrmeleo Percheronii buér. 2 Larva of the Myrmeleo formicarms. L. 3 Ascalaphus Brusiliams, buér. 4 Hemerabius capitatus babr. 5 Auntoniy of the Hemerabius of Egypt. 6. Sialis lutarius Latr.







when lateralis, liner. 2. Anatomy of the Pevga. 3. Schizocova fureata Fab. 3. Anatomy of the Hy


Matomy of the Touthvedo. 6. Cladius pallipes hep. 7. Anatomy of the Cladius differences, & dety of the Athalia, 9. Anatomy of the Plevygophovus. 10. Anatomy of the Lophyrus. 11. Anatomy of
amphitius. 12. Xycla pusilla bal. 13. Cephus flaviventris hef. 14. Larva & ef the Cephus pyani,
atomy of the Xyph. 16. Anatomy of the Oryssus. 17. Sivex hefebyre, 18. Anatomical deta by of
trex.







Broma Ciber Guer 2 and omen of the Evania appendia aster, Fak 3 Peterints polyceretor Ede Forms appends for 5 Stephanus furentias Serv 8 Johnson f






Cymps querens tope. Fab 2 Ibaha cultiliator & 3. Ugues scutellaris Lat AChaleis Lasnieru. uir 5 Anatomical details of the Chalers macleanit that 6 Chalers landatus buer. 7 Lencospis Acheulatu Guir. 8. Thoracantha Latreilli Guir 9. Head of the Agaon 40. Head of the Dichinus Jahn II Eurytoma cooperii furt 12, Penlampus violaccus Tab. 13, Antenna of the Cleonymus 14 Antenna of the Encyrtus 15 Eulophus Jectimeerius Eak







1 Drytaus eureur Hal. 2 Helorus anomalipes Pauz. 3 Sparasson frontale Lat. 1 Galesus fuscipermis, Part. 5. Platygaster Bescii Jur. 6 Mymar pulchellus Walk. 7 Anatomical details of the Teleas elatur Hal. 8 Interior of the Cinetus. 9 Chrysis moricana, buir 10 Anatomical actuals of the Hedyelman. Il Cheptes thereview, Jup.






Formica rufu, L. 2. Atta l'armigera, Lat. 3. Cryptocerus atratus, Latreil. 4. Matilla sener, bur. 5. Anatamical details of the Matilla ephippiant, Eth. 6. Myemosa melano-ephala Lat. 7. Methoca ichneumanides, Lat. 8. Tengyen sanvituli, Lat. 9. Myzine valvalus, Lat. 10. Seolin farmosa, bair. 41. Supyga varia, Lat.






1. Compilus viaticus, F. 2. Sphes annuenta, buer, 3. Ammophilus dpicalis, buer, 4. Ampulex compressiventris, buer, 5. Pelopeus huatus, F. 6. Rembex peruviana, buer, 7. Anatomical details of the Bembex 8. Anatomical details of the Monedula, 9. Lycops and ventris, buer, 40. Dinetus pictus, shrine







L.Astata hoops, Spin. 2. Oxybelus unighmis, Fish. 3. Texpoxylon figulus Lat. 4. Gogytes mystacens, Lat. 5. Centro explaletes, L. 6. Mellinus urvensis, L. 7. Pseu, ater Lat. 8. Inatonical details of the Phillanthus androgynus, Ress. 9. Ceveevis hifusciata, buer 10. Avatemical details of the Ceveevis letu. F.






- 1. Celonite's apifornis, Lat. 2. Ceramins fonscolombii, Klug. 3. Synagris Calida, Eth.
- 1 Eumeues Savignyi Guér. 5. Odynerus elegans. Guér. 6. Polistes Lefebyrii Guer
 - 7. Polistes nidulans. Fab.






1. Andrena femoralis, buer. (Cuba) 2. Anatomical details of the Andrena Kirbii, Gurt.
3. Nomin reascipes, Cliv. 1. Panaréns ater. Lat. 5. Xylocopa auripennis. Lep. 6.
Ceratina viridis, buer. 7. Megachile centuncularis. L. 8. Anthidium diadema. Latr.
9. Celioxys rufipes, buer. (Cuba) 10. Anatomical details of the Colioxys victis, burt.






I Eponlus variegalas, k. 2. Crocissi palchella tour. 3. Melliturgo chivirarus, but. 4. Authophara apicalis, liner, (luba) 5. Anatomical details of the Anthophura Howarthana Kiely 6 Con tris respecta, topet. i. Macroc eva lasuierii, buer. Cuba




Insecta.Pl.\$5.



1. Acauthopus splendidus. Klug. 2. Euglossa dentata lat. 3. Bombus Pahlbonii. Sucr. 4. Apis Adansonii. Lat. 5. Anatomical details of the Apis wellifica. L. 6 Meli pona fulvipes . Guer. / Cuba / 7 Trigonn fusciata . Guer.






Organs of Sonsation in Insects






Organs of Sensation in Insects





1 Papilio Latreillii. Godard. 2. Gaterpillar & Chrysalis of the Papilio machaensh.
3. Parmax sius phochus. Fabr. Godard. 1 Thais Cerisyi, Godard.






1. Pieris theris Godard 2 Caterpellar & Chrysalis of the Pieris brassica L.


3 Heliconiu Langsdorfii Godard. 1. Danaida vanice, Godard.






UVanessa cultithen bodard. 2 Argyma's movera Cover 3 Coleopition & Chrysalis of the Argyma's poplin bodard. 4 Nymphalis ethen bodard. 5 Energil a & Chrysolis of the Aymphalis ilio, bodard.





1. Satvinis Balder Boised. 2. Caterpillar & Chrysalis of Satvinis jurtina. Godard. 3. Eumenia torea, Gedard. 4 Erybia carelina Gedard.






1. Pavonia acadina, Godard. 2. Morpho actorion, Godard.

3. Anatomical details of the Morpho phidippus bodard. A.Brassolis astyra bedard.






1. Urania Baisducalii, G. 2. Hesperia subadius Eds. 3. Caterpillar & Claysottis of Hesp. tages Fab. 4. Caterpillar of Hosp. Linea. Fab.




Insecta Pl.94.



1 Erycina virginiensis, Beisd. 2. Caterpillar Chrysalis & Anatomy of the Erycina lucina, 3. Myrinn Juffra, Godard. 1. Polyommatus Thoé Boisd. 5. Caterpillar & Thrysalis of the Polyommatus pruni. Godard. 6. Tephyrius amer. Dahn. 7. Anatomy of the Polyommatus vorus, Godard. 9. Lycuma hersf.






L Sphins jasminearum Blv. 2 Smerinthus io. Ildv.

3 Sesia asilipennis Bla

Lordon & Henderson ? Old Bailey







1 Hepialus liquilinus Fab. ? Cossus Macumetrei Bdv 3. Caterpillar of the Cossus liquiper da Fab. I Stygin australis bats 5 Louzeva scalaris, Danos, 6 Cateepillar of the Zenzeva wsenti. Fab. 1 Caterpillar of the Repialus hamuli Fab.






1 Agarista Pales, Ildv. 2, Caterpillar & Chrysalis of our Agarista given. Lewin.
3. Caronis Leachii, Codard. 1. Castnia Levovoides Intr







I Thwris xepulchralis, Bdv. 2. Æğoveva vectilinea.Bdv. 3. Zağavıa pulchella.Bdv. 4. Zağavıa filipendulu.bu. 5. Process nebulusa - Blug. 6. Syntomis niyades, Bdv. 7. Syntomis phægea.Bdv. 8. Atvebia pumilu. Beh.kut. († 9. Enterpellur & Chrysalis of the Aglaope infansta, 10. Glaucopis Fulletti Ferst II Ağlaope unrevienna, Bdv.






Chelonia evidens. like 2. literpillar of the Chelonia nubilis. like 3. Anatomical devals of the Chelonia dogsorbusa. 4. Callimorpha Lecentei. 5. Dicranoura berealis. like 6. Lithoxia leta. like 7. Lithoxia laterla. 8. laterpillar of the Lithoxia pulchella. 9. Platypterix glabularies. like.







1. Serieuvin vanoveps, lide. 2. Caterpillar of the Serieuvia lessellala, lide. 3. Notodonta ziezare hui. 1. Orgym detrita, lide. 5. Caterpillar & Chrysalis of the Orgym ganostiquia Fab. 6. Limacodes delplanti, lide. 7. Caterpillar of the Limacodes stringta lide. 8. Caterpillar of the Limacodes indeterminata. 9. Psyche culvella, telis. 40. Parts of the Caterpillar of the Psyche nitidella.







1 Noctua (Ophideres/Imperator Bdv. 2 Evebus Imacina Bdv. 3 Caterpillar of Erebus omoptera putrescens Bdv. 4 Caterpillar & Physodis of Noctua Catacala spensa Fab 5 Pvvulis Tagana Fab







1. Phalama machaonavia lide 2. Phalama guttaria lide 3. Anatony of the Phalama favillacea llide 1. Caterpillac of the Phalama favillacea llide 1. Caterpillac of the Phalama grossulaviata 1. 3. Recumina sedama from, 6. Mead of the Berminia crassalice Fale 7. Mays dilucidalise llide 8. Head of the Butys congulatise llide 9. Hydrocampe aquatitise llide 10. Caterpillac of the Bydrocampe nemplecata, but, 11. Anglossa dilucidalise llide, 12. Galberia corecana Fale 13. Caterpillac of the Galberia colonella llide 11. Cambus retusalise lide, 16. In occurrence of the Cambus valied line llide.







1 Alucita asperella llulm. 2 Euplocumus anthracinus llulm. 3 Tinea hopezana Fab. 3 a lleid ei Tin tangicernis, Orrise. 1 llithia carnea Latr. 4 a b. Anatomy at II. pinguis dirtis. 5 Yponomeuta pusiella llul 5 a. b. Caterpillar & Chrysalis of Yp planbella ll. 6 Ecophora Luncella etert a a b Caterpillar & Chrysalis of Ac. majorella llub. 7 Adela Begerrella Fab. 8 Pterophorus pillodactelise llub. 8 a llead of Pter spilodactylus vurtis. 9. Orncodes hevadactylus Latr







- 1. Dixa *nebulusa Meig.* 2. Chicava *avanceides, Balm.* 3. Rhyphus (* 1922) F. Platyura *flavipes, Meig.* 5. Myretabia *thuracica (mer.* 6. Smudam. 1948) (1924)
- 7. Dilophus theracieus, mer. 8. Anatomical details of the Babao vene and that







1. Stylops Balii that 2. Anopheles hijurcatus h. 3 Corethra planicovars Meig. 1. Antenna of the Chiromonus. 5 Psychoda palustris Meig. 6. Ctenophura festiva Meig. 7. Head of the Tipula. 8 Rhipidia maculata Meig. 9. himnohia veellaris. h






1. (pb) (c) (b) (m) (m) 2. Instance of derails 2 the Liphers wave Rev. 3. University of the Dassyngeon to Hybro Tariya (Rev. 3. 5. (o) 10. (o)






1. Toxophova americana, Serv. 2. Usia anca, Lat. 3. Phthiria pulicaria, Mey. 4. Bombylius tricelor. buer, 5, Ploas lusitanica buer, 6, Antheix aurantiaca buer, 7, Nemestrina longirostris Mied.







1. Thereva continis Meig. 2. Atherix ibis Meig. 3. Lepus Servillei Guer. 4. Dolichopus ungulatus Fab. 5. Medeterus notatus Fab. 6. Platypeza sophia, kepel. 7. Pipunculus campestris, Meig. 8. Seeno-pinus lenestralis, Fab.






panus latus Guer, 2. Pangonia nigriponnis ciner 3. Chrysops melestus ciner, 4. Hornatopota Itasi a Guer, 5. Mydas bonariensis Serr. 6. Antenna of the Cephaloceva Serr. 7. Chiromyza ta. Wied.







1. Hermetia singularis Guer. 2. Acanthomera Serviller Guer. 3 Head of the Acanth pieta Weid. 4. Head of the Beris. 5. Cyphomyia aurillamma Wied, 6. Stratiomys coronata Serv. am. ber. 7. Ephip pium thoracicum Lat, 8, Anatomical details of the Oxyrera, 9, Anatomical details of the Sargus Reaumuri Meig. 10. Chrysochlora hirticernis Weid, Il Anatomical details of the Vappo. 12 Dicranophora timetiera Wied.







I Volucella bomby lans Meig 2 Helophilus chilenns, liner 3 Syrphus senegalensis liner 1 Anoth-1 or details of the Syrphus (seara) unicolor, Enet 5 Paragus Inceler Lat 6 Chevsotoxum arrantum Mag 7 Cerra Consepondes, Meig.







1. Aplicitis apifornis de beer. 2. Merodon equestris. Meig. 3. Xylota seguis. L. A. Head ef the Tropidia 5. Miles in speciosa bab. 6. Pipira fusciata Meig. 7. Rhingin compestris. Meg.







i Cuterebra apicalis liner. 2. Edemageni harandi, h. 3. Hypoderny, heris F. 4 Cephalemyia eris h. 5 Estrus equi.h. 6. Conops rulipes F. 7. Myopa varregata Meig. 8. Stomoxys calcutrans. h.






1. Echymonyia grussa, Fab. 2. Cymnosoma ratuudata, Eub. 3. Miliogramma punetata Meig. 1. Pha sia hrvehyptera Meig. 5. Luchm mirabilis, E. 6. Calliphova vomitoria 1. 1. Head of the Achi as oculatus. 8. Lispo tentuculatu, Meig. 9. Anthomyia plavialis 1. 10. Ephydva infilassis, Morg W. Anatomical details of the Ephydva Spilota, Ital






1. Echynomyra grossa, Fab. 2. Gymnosoma rotundatu, Fab. 3. Miltogramma panetatu, Mog. 1. Pha sia brueltyptera Meg. 5. Lucilia mirabilis, 6. 6. Calliphora vonutovia 1. 7. Head of the Achius neulatus. 8. Lispe tentuculata, Meig. 9. Anthonyria pluvialis, 1. 10. Ephydra rafibursis. Mog. W. Inatemical debails of the Ephydra Spilata. Bal






1. Thyveophora cynophila line. 2. Scatophaga Stereoracia 1. 3. Sutrana 3. Su Spice ocera. 4. Supromyza himitarsis, Macq. 5. Osvinis "chlorep" supestania seco. 6. Sept for glue yeus, lab. 7. Calobata chemiptera refereps bias. 8. Brops is for actus beer 9. Brops is atricapillus, biar. 10. Suatemical details of the Suprise analyses than 11. Tephritis. Papa mar. 12. Inalamical details of the Tephritis corners 1 lab.










1. Asterias aurantiaca. Lin.

2. Concatula carinata. Lam?







1. Echinus esculentus, lin. 2. & 3. Floriecps saccata, liv.


4 Stephanomia waria, Les


London, G. Henderson, 2, Old Bailey.






1 Echinus verticillatus fam. 2 Echinonous semilanaris fam. 3. Galoritos corfusciatus fam. 4 Sentella hevapara fam. 5 Ebaloria orahan, fam. 6 Spatanĝas pilesus fal.






1. Holotharia phantopus, lin. Mull. 2. Halotharia squamata Mell. lin. 3. Halotharia elegans Mull. lin. 4. Holothurin fusus, Mall. 5. Halothurin encurrer, Ricco 6. Halothuria coonare Less. 7 Holothu via edulis, hers





1 Minyas evanea - 2 Primpula candala Jone R Primpus Mali Imponentia edular Eddos - 1 Siponentus Parimes Rev






1. Boneilla riende 201. ? Thalas em ang imic (1) - 1 /2/2 censa Pale)


3 Echineo Pall of bet a calminus on Pallas 1 stronger (1921) and bet






1 Fibria niedinensis (m. 2 Trichocephalus dispur Ibal 3 Oxyurus curvulu Rud 4 Cucultsuus digans Rud 5.Ophrostonia sphasocephalu Rud. 6 Ascaris hunbricerdis 1






1. Stronglus gigas, Rud. 2. Spiropterus starngulinus Rud. 3. Physalopterus - siiii 11. l Liorhynchus denticulatus R = 5, languatula tenierdes R = 6, languatula


7. Prionodernia ascaroides. R







1.Lexinea branchialis, Lim. 2.Lexinea multicernis, iiv. 3. Penella filesa 6mel. 4. Sphyrion levigatus, (iv. 9. Cuy & 6aym. 5. Anchorella lagenula, (iv. 6. Brachiella dynni tur. 7. Chwella hippoglossi, (iv. 8. Condracanthus triplo: (iv. 9. Condracanthus zei, Lareche. 10. Condracanthus xyphier. (iv. 11. Nemertes Harlasii, (iv.






L'Echinochynchus gigas tim. 2 Harmen muris tim. 3 Amphistoma lengueellis Bl. 4. Carrophyllaus mulabilis Bl. 5 Monostama Bl. 6 Fascrola hepatica L. 7 Polystoma integerrinnun Bad. 8 Polystoma pingnicela. 9 Cyclocotyles Bellones (Au. 10 Tristoma leccineum).






L.Hectocotile actopodis - 2 Aspidogaster conchicola Baer - 3 Planaria aurantiaca Risso, 4. Planaria cornuta Bull. 5 Planaria bectea Bull - 6 Prostonia elypsinoides, Bages - 7 Derostonia natops Bages - 8 Vertunnus dicthidicela Pao







1. Tacnin latu, Rud, inc. 2. Tacnin solium, Lin. inc. 3. Head of the Bothgrovephalus corenatus, Bl. 1. Dibothevorhynchus lepidopii. Bl.






1. Floricops corellotus ? Tetrarhyuchus lingnolis 3 Tentacularia lloscu - 1 Cysticereus pisciformis 1 5 Cysticereus finna. Mam. 6. Acrostonia anum Jasan. 7 Cumurus exceptatis 6m 8. Echinococcus. 9 Ligute singdressima Ill





1 Petagia panagwea Para 2 Cymrwn Lalache. Owy 8 bayni. 3 Equaren çvanegranını a. Owy X baynı

The Mark on Littlinley





LRhizostoma aldrevandi Risso, franca drine? et M. kaurillard.


2. Cussiopen burhanica, bellechiaic, tiv.







1. Bevenice furisochroma Peron 2 Goeyouca proboscidalis Forsk. 3 Cephese paparaises less.






Beroe pileus im 2. Beroe litra clingatus Risse 3. Beroe esti ta Ren 1 Calbanira ha ophalon Revn 5 Menno vermiculata Rano 6 Ocyvoc nevel da Resid






1 Cestum veneris lessueur. ? Porpita chrys nonna less 3 Velella limbosu lam







1 Physalia atlantica less. 2 Physophova disticha less. 3 Physophova nicea lant. 1 Hippopedius Intens. Oncy & town 5 Rhizophysia heliantha Oncy & baym. 6 Diphia dispar Pore 7 Calpe pentagena Cury & terrin 8. Abyla trigiona, Cury & risym 9 Cymba sagitta Chry & beyr i 10 Cubordes vinens Cher & com





L'Actinia corullina, Risso. 2. Thalassiannathos actor Rappel 3. Discosmos minunifernic Rap 1. Zounthus sociatus, tiv. 5 Luvernavia campanula, Lamoureux






1. Tulupora vulcola Quev. 2. Tuludaria indivisa kam. 3. Sertularia tamarindus 1865. 1. Fuera (ca cornata Ellis 5. Flustra drigor Exp. d.l.a. 6. Cellepora provincisa Ellis 7. Tuludipora indica famel. 8. Corralina officinalis km. 9. Flabellaria opinitra Ellis 40. Vetabulum victis (c. 2. 2.) 2. II. Polyphysia aspergillina kasusa.






1. divides viridis Trendl via 2 llydra fused 1 fm 3 for na manner tree 1 l 1 l 1 l tella greele fue 3 Vartuella oper cularis herr board 6 Pedicellare





1. Antipathes myriophylla Ellis & Sol. 2 Gorgonia verrucasa Gord. 3 Ennicea mammosa Lamour I. Corallino rubrum Gord. 5 Isos Inppures Ellis & Sol. 6 Ennigea erassetentaenlata Cucy. 7 Eurlinolia enhea. Quey. 8. Caryophyllia fusciculata. Lam. 9. Astron caliculatus. Lam. 10. Madrepova abrotamoides. Lam. II. Millepora alcicornis. Pall.





1. Pennatula gravea touch 2 Virgulama juncea Pall. 3. a fragment of the Virgulama mirelates Vell. 4
Remilla violacea Quey. 5. Umbellaturia encrima Ellis. 6. Aleyonum aucuntacum. Quey. 3. a large trog
ment of the Meyonum camusum. Quey. 8. Thethyum Jeneurium. Marnoli. 9. Sponga cardata Pallas.

10. Sponga ananus. III.









